



NGL Chemicals

Description

Swiss based manufacturer for water based chemicals for cleaning and surface preparation.

Industry in expertise:

- Medical
- PVD-CVD / Electroplating
- Decoating
- Watch Industry
- Jewellery
- Micromechanics / Machined Parts
- Precision Optics / Flat Glass
- Ophtalmic Optics
- Crystals / Tableware
- Faucets / Furnishings
- Automotive
- Metal Finishing

Oxidation Removal Chemical

Brand.....Challenger

Description

Oxidation removal

Oxidation removal on metals.

If you have any cleaning needs, contact us and we will help you solve it.



Copper and Brass Brightening Chemical

Brand.....Challenger

Description

Copper & Brass Brightening

Able to brightens copper and brass by soaking or ultrasonic machine.

Recovers the shiny copper & brass finishing.

If you have any cleaning needs, contact us and we will help you solve it.

Rust Removing Chemical

Brand.....Challenger

Description

Rust removing chemical - Able to dissolve rust.

Can be used either by soaking, spreading or ultrasonic machine.

If you have any cleaning needs, contact us and we will help you solve it.



Ultrasonic Cleaning Chemical

Brand.....Challenger

Description

Ultrasonic Cleaning is a process that uses ultrasound to agitate a fluid. With or without temperature. It can be used with either **solvents** or **water based chemicals**.

We offer various ultrasonic cleaning chemicals for almost all kinds of surface. For example, steel, aluminum, stainless steel, ceramics, high speed steel, brass, gold, cast iron, bronze, crystal, mineral glass, and etc..

It is able to remove stubborn oil, grease, coolant, dirt, wax, adhesive, epoxy, flux, glues, lacquer, polishes, finger prints, surfacing residue, resins and many more.

If you have any cleaning needs, contact us and we will help you solve it.

Vapor Degreasing Chemical


Brand.....Challenger

Description

Vapor degreasing is an industrial process for cleaning precision parts. It is by the use of solvent to with a combination of solvent immersion, vapor rinsing and drying. It is often used as a surface finishing process.

It can remove all types of grease, wax, adhesives, flux, oil, coolant, dirt, epoxy and many more.

If you have any cleaning needs, contact us and we will help you solve it.



Degreasing Chemical

Brand.....Challenger

Description

Degreasing chemical both in **Solvent** and **Water Based** to cater for your degreasing needs.

We offer various degreasing chemicals for almost all kinds of surface. For example, steel, aluminum, stainless steel, ceramics, high speed steel, brass, gold, cast iron and many more.

It is able to remove stubborn oil, grease, coolant, dirt, wax, adhesive, epoxy, flux and many more.

Application: Able to be used in the Ultrasonic Cleaning Machine, Vapor Cleaning Machine, Manual Wiping, Dipping, Soaking and etc..

If you have any cleaning needs, contact us and we will help you solve it.

Drying Machine NSD-1000D

Description

Hot Air Drying Machine after Ultrasonic Cleaning. This machine has functions of heat and drying, it has fan generating hot wind after heating to dry parts easily and quickly.

Machine Type: Industrial Drying Machine NSD-1000D

Material: SUS304 (With lid and basket)

Internal Dimension (L*W*H): 420mmL*550mmW*550mmH

External Dimension (L*W*H): 1100mmL*930mmW*940mmH

Heat Power (W): 4KW

Features:

- Tank built of SUS 304, 2.0mm-thick
- Functions: Heating, Drying
- Digital temperature control, hot air circulation
- Easy to operate, less cost, effective drying result
- Comes with basket, cover and caster



NSD-1006L, 12L Ultrasonic Cleaner

Description

Machine Type: NSD-1006L Industrial Ultrasonic Cleaner

Material: SUS304 (With lid and basket)

Capacity: 12 Liters

Internal Dimension (L*W*H): 400Lmm×200Wmm×150Hmm

External Dimension (L*W*H): 472Lmm×282Wmm×362Hmm

Ultrasonic Freq.: 28kHz / 40kHz

Heat Power: 500W

Ultrasonic Power: 300W

Features:

- Digital temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places
- Stainless steel throughout (Good resistance against rust)
- Comes with basket, cover and drain duct

- Easy to operate

NSD-1006FW, 12L Ultrasonic Cleaner

Description

Machine Type: NSD-1006FW Industrial Ultrasonic Cleaner

Material: SUS304 (With lid and basket)

Capacity: 12 Liters

Internal Dimension (L*W*H): 280Lmm×210Wmm×210Hmm

External Dimension (L*W*H): 410Lmm×310Wmm×450Hmm

Ultrasonic Freq.: 28kHz / 40kHz

Heat Power: 500W

Ultrasonic Power: 300W

Features:

- Digital temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places
- Stainless steel throughout (Good resistance against rust)
- Comes with basket, cover and drain duct
- Easy to operate



NSD-1006AJ, 10L Ultrasonic Cleaner

Description

Machine Type: NSD-1006AJ Industrial Ultrasonic Cleaner

Material: SUS304 (With lid and basket)

Capacity: 10 Liters

Internal Dimension (L*W*H): 280*210*210mm

External Dimension (L*W*H): 351*291*392mm

Ultrasonic Freq.: 28KHZ / 40KHZ

Heat Power (W): 500W

Ultrasonic Power: 300W

Features:

- Digital temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places

- Stainless steel throughout (Good resistance against rust)
- Comes with basket, cover and drain duct
- Easy to operate

NSD-1004A, 9L Ultrasonic Cleaner

Description

Our tabletop digital ultrasonic cleaner is portable and easy to operate. It comes with digital display of actual and set heat and timer. It is suitable to operate all day. It is also designed to clean small diesel parts, auto parts and electric parts, such as injector. It can effectively remove oil, dust and stubborn stains to save time and labor, which is widely used in diesel injection work shop, auto parts rebuilding work shop.

Machine Type: NSD-1004A Industrial Ultrasonic Cleaner

Material: SUS (With lid and basket)

Capacity: 9 Liters

Internal Dimension (L*W*H): 250*200*210mm

External Dimension (L*W*H): 322*282*412mm


Ultrasonic Freq.: 28KHZ, 40KHZ


Heat Power (W): 400W

Ultrasonic Power: 200W

Features:

- Digital temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places
- Stainless steel throughout (Good resistance against rust)
- Comes with basket, cover and drain duct
- Easy to operate





NSD-1003AM, 6L Mechanical Ultrasonic Cleaner

Description

Our mechanical ultrasonic cleaner tank is made of stainless steel and is resistant to rust. It does not leave terrible water stain after being used as well. The difference between mechanical and digital ultrasonic cleaner is the display of the ultrasonic cleaner outlook. Our unit features Heating/ Mechanical Temperature Control/ Mechanical Timer. With mechanical temperature control, temperature adjustable to 80°C. And with mechanical timer, time adjustable is available from 5 mins - 60 mins. It is suitable for factory as it can continue working for a whole day. Our ultrasonic units come with Basket and cover.

Machine Type: NSD-1003AM Mechanical Industrial Ultrasonic Cleaner

Material: SUS304 (With lid and basket)

Capacity: 6 Liters

Internal Dimension (L*W*H): 230*180*180mm

External Dimension (L*W*H): 302*262*362mm

Ultrasonic Freq.: 28KHZ / 40KHZ

Mechanical temperature control: Adjustable to 80°C

Mechanical timer: Adjustable from 5 mins - 60 mins

Heat Power (W): 200W

Ultrasonic Power: 150W

Features:

- Mechanical temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places
- Stainless steel throughout (Good resistance against rust)
- Comes with basket, cover and drain duct
- Easy to operate

NSD-1003A, 6L Ultrasonic Cleaner

Description

Our tabletop digital ultrasonic cleaner is portable and easy to operate. This ultrasonic unit comes with digital display of actual and set heat and timer. It is suitable to operate all day. It is also designed to clean small diesel parts, auto parts and electric parts, such as injector. It can effectively remove oil, dust and stubborn stains to save time and labor, which is widely used in diesel injection work shop, auto parts rebuilding work shop.

Machine Type: NSD-1003A Industrial Ultrasonic Cleaner

Material: SUS304 (With lid and basket)

Capacity: 6 Liters

Internal Dimension (L*W*H): 230*180*180mm

External Dimension (L*W*H): 302*262*362mm

Ultrasonic Freq.: 28KHZ / 40KHZ

Heat Power (W): 200W

Ultrasonic Power: 150W

Features:

- Digital temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places
- Stainless steel throughout (Good resistance against rust)
- Comes with basket, cover and drain duct
- Easy to operate



NSD-1002A, 3L Ultrasonic Cleaner

Description

Our tabletop digital ultrasonic cleaner is portable and easy to operate. This ultrasonic unit comes with digital display of actual heat and timer. It is suitable to operate all day. It is also designed to clean small diesel parts, auto parts and electric parts, such as injector. It can effectively remove oil, dust and stubborn stains to save time and labor, which is widely used in diesel injection work shop, auto parts rebuilding work shop.

Machine Type: NSD-1002A Industrial Ultrasonic Cleaner

Material: SUS304 (With lid and basket)

Capacity: 3 Liters

Internal Dimension (L*W*H): 200*150*130mm

External Dimension (L*W*H): 272*232*382mm

Ultrasonic Freq.: 28KHZ / 40KHZ

Heat Power (W): 100W

Ultrasonic Power: 100W

Features:

- Digital temperature and timer
- Able to operate all day
- Good quality ultrasonic cleaner
- Effectively removes oil, dust, stubborn stains and hard to clean places
- Stainless steel throughout (Good resistance against rust)

- Comes with basket, cover and drain duct
- Easy to operate

Universal Spill Kit - 240L (Cart)

Description

- 1 pc - 240 liter Transporter
- 4 pcs - Universal Sorbent Sock (1 pc-able to absorb > 25 liters)
- 8 pcs - Universal Sorbent Pillow (1 pc-able to absorb > 9 liters)
- 40 pcs - Universal Sorbent Pads (1 pc-able to absorb > 1.4 liters)
- 10 pcs - Hazardous material disposable bag 42" x 52"
- 10 pcs - Cable Tie
- 2 pcs - Disposable Coverall
- 2 prs - Anti Fog Goggle
- 2 prs - Nitrile Glove



Universal Spill Kit - 120L (Cart)

Description

- 1 pc - 120 liter Transporter
- 2 pcs - Universal Sorbent Sock (1 pc-able to absorb > 25 liters)
- 4 pcs - Universal Sorbent Pillow (1 pc-able to absorb > 9 liters)
- 20 pcs - Universal Sorbent Pads (1 pc-able to absorb > 1.4 liters)
- 10 pcs - Hazardous material disposable bag 24" x 30"
- 10 pcs - Cable Tie
- 2 pcs - Disposable Coverall
- 2 prs - Anti Fog Goggle



2 prs - Nitrile Glove

Universal Spill Kit - 18 Liter (Pail)

Description

- 1 pc - 18 liter Pail
- 2 pcs - Universal Sorbent Sock (1 pc-able to absorb > 8.25 liters)
- 2 pcs - Universal Sorbent Pillow (1 pc-able to absorb > 2.5 liters)
- 5 pcs - Universal Sorbent Pads (1 pc-able to absorb > 0.725 liters)
- 2 pcs - Hazardous material disposable bag 24" x 30"
- 2 pcs - Cable Tie
- 1 pr - Anti Fog Goggle
- 1 pr - Nitrile Glove



Laboratory Chemicals List (B)

Description

Laboratory Chemical List: B

- Barfoed's Reagent "READIL". 500ml
- Barium AAS standard soln. 1000mg/l (l) 500ml
- Barium Acetate A.R. (P) 500g
- Barium Bromide C.P. (I/P) 500g
- Barium Carbonate A.R./ACS. (P) 500g
- Barium Carbonate C.P. (P) 500g
- Barium Chloride 2-Hydrate A.R./ACS. (P) 500g
- Barium Chloride for sulphate "READIL". (P) 1Lt
- Barium Chloride 10% w/v soln "READIL". (P) 1Lt
- Barium Chloranilate A.R./ACS. (I/P) 25g
- Barium Chromate A.R. (I/P) 100g
- Barium Diphenylamine Sulfonate A.R./ACS. (P) 5g
- Barium Hydroxide 8-Hydrate A.R. (P) 500g
- Barium Hydroxide 8-Hydrate C.P. (P) 500g
- Barium Nitrate A.R. (P) 500g
- Barium Oxide C.P. (I/P) 500g
- Barium Perchlorate C.P. (I/P) 250g
- Barium Peroxide C.P. (P) 250g

Barium Stearate C.P. (I/P) R&M 500g

Barium Sulfate A.R./ACS. (P) 500g

Barium Sulfate C.P. (P) 1Kg

Baritt's Reagent A. "READIL" 100ml

Baritt's Reagent B. "READIL" 100ml

Basic Fuchsin see Fuchsin Basic

Bathocuproine A.R. (I) 100mg

Bathocuproinedisulfonic acid disodium salt A.R. (I) 100mg

Bathpheanthroline A.R. (I) 250mg

Bathophenanthroline Disulfonic Acid Disodium Salt A.R. (I) 250mg

Beef Extract powder 500g

Bee Wax (white) C.P. 500g

Benedict's Reagent for Glucose deter "READIL".(qualitative) 1Lt

Benedict's Reagent for Glucose deter "READIL".(qualitative) 500ml

Benedict's Reagent for Glucose deter "READIL".(quantitative) 1Lt

Bentonite C.P. (Aluminium Silicate hydrate) 1Kg

Benzaldehyde C.P. 500ml

Benzaldehyde C.P. 2.5Lt

Benzalkonium Chloride 50% solution C.P. 500ml

Benzamide C.P. 500g

Benzanilide C.P. (I) 500g

Benzene C.P. (P) 2.5Lt

Benzene D6 D-99.5%. (I/P) Alfa/US 10g

Benzidine dihydrochloride A.R./ACS. 10g

Benzil C.P. 250g

Benzil C.P. (I) 1Kg

Benzilic acid C.P. 250g

Benzimidazole C.P. (I) 100g

Benzoic Acid A.R. 500g

Benzoic acid ammonium salt see Ammonium Benzoate

α-Benzoin C.P. 250g

α-Benzoinoxime A.R. (I) 25g

Benzonitrile C.P. 500ml

Benzophenone C.P. 500g

p-Benzoquinone C.P. (I) 250g

1,2,3-Benzetriazole C.P. 100g

Benzotrichloride C.P. (I) 500ml
 2-Benzoylbenzoic Acid 98%. (I) Alfa/US 250g
 Benzoyl Chloride C.P. 500ml
 Benzyl Acetate.99+% (I) Alfa/US 500g
 Benzyl Alcohol A.R. 2.5Lt
 Benzoyl Peroxide (moistened with 25% water) C.P. (I) 500g
 Benzylamine C.P. 500ml
 N6-Benzylaminopurine 99% A.R. (Benzyladenine) 5g
 Benzyl Benzoate C.P. (I) 500ml
 Benzyl Chloride C.P. (I) 500ml
 Benzyl Cyanide C.P. (I) 500ml
 S-Benzylthiuronium Chloride C.P. (reagent for Cobalt & Nickel) (I) 100g
 Benzyl Tributylammonium Chloride C.P. (I) 100g
 Benzyl Triethylammonium Chloride C.P. (I) 500g
 Benzyl Trimethylammonium Chloride C.P. (I) 500g
 Benzyl Trimethylammonium Hydroxide see Triton B
 Beryllium Sulfate 4-Hydrate C.P. (I) 25g
 BHA see Butylated Hydroxy Anisole
 BHT see Butylated Hydroxy Toluene
 Bial Reagent"READIL". 500ml
 Bicarbonate Indicator solution "READIL". 500ml
 Bicine Biological Buffer. (I) 25g
 Biebrich Scarlet "RMstain". (I) 25g
 Bile salt 100g
 Bilirubin A.R. 100mg
 Bilirubin Reagent Total & Direct (Malloy & Evelyn Method) 1 set
 D(+)-Biotin (Vit.H) "Biochem". 1g
 Biphenyl C.P. (I) 100g
 2,2-Bipyridyl A.R. (Dipyridine) 5g
 2,2'-Biquinoline A.R. (I) 1g
 Bis(2-Ethylhexyl Phthalate) see Dioctyl Phthalate
 Bismark Brown Y C.I.21000 "RMstain". 25g
 Bismark Brown R C.I.21010 "RMstain". (I) 25g
 Bismuth AAS standard soln. 1000mg/l (I/P) 500ml
 Bismuth metal powder 99.5%. (I/P) 100g

Bismuth Carbonate Basic C.P. (P) 100g

Bismuth Chloride C.P. (P) 100g

Bismuth Nitrate 5-Hydrate A.R. (P) 100g

Bismuth Oxide C.P. (P) 100g

Bismuth Subnitrate A.R. (I/P) 100g

Bismuth Sulfate C.P. (I/P) 250g

Bisphenol A C.P. (I) 500g

Bis (tributyl tin) Oxide see Tributyltin Oxide

Biuret's Reagent Protein Det "READIL". 500ml

Blue tetrazolium "RMstain". (I) 1g

Boiling Chips 1.5-9mm C.P. 1Kg

Borate Buffer pH 9.5 for Nitrogen "READIL". 500ml

Borax see di-Sodium Tetraborate

Borax-Carmine "Biochem". (P) 100ml

Boric Acid A.R./ACS. (P) 1Kg

Boric Acid 5% W/V. ASTM:136 "READIL". (P) 1Lt

Boric Acid 2% (W/V) "READIL". (For Nitrogen Ammonia) (P) 1Lt

Boron AAS standard soln. 1000mg/l (I) 100ml

Boron Carbide Lab. (90 mesh) (I) 100g

Boron Nitride Lab (I) 50g

Boron Trifluoride Ethyl Ether Complex C.P. 500ml

di-Boron Trioxide A.R. (Boric Oxide) (I) 250g

Bouchardat Reagent. 100ml

Bovine Albumin Fraction V. 10gm

Bouin's Fluid (Histopathology Fixative) 500ml

Bradford's Reagent. "RMstain" 500ml

Brady's Reagent see 2,4-Dinitrophenylhydrazine

Brain Heart Infusion for Microbiology. (I) 500g

Brewer's yeast. C.P. 500g

Brij 35(main component) C.P. 100g

Brilliant Blue FCF see Erioglaucine A

Brilliant Blue R see Coomassie Brilliant Blue R 250

Brilliant Cresyl Blue C.I.51010 "RMstain". 5g

Brilliant Cresyl Blue 0.3% Alcoholic soln. "RMstain". 500ml

Brilliant Green C.I. 42040 "RMstain". 25g

Brilliant Yellow C.I. 24890 "RMstain". (I) 25g

Bromine C.P. 20ml

Bromine C.P. 2.2ml

Bromine water 3% C.P. 250ml

Bromoacetic Acid C.P. (I) 100g

p-Bromoacetanilide 98%. Alfa/US 50g

4-Bromoacetophenone C.P. (I) 100g

4-Bromo Aniline C.P. (I) 25g

Bromobenzene A.R. 500ml

1-Bromobutane see n-Butyl Bromide

2-Bromobutane 98%. Alfa/US 250g

2-Bromobutane 98%. Alfa/US 1kg

5-Bromo-4-chloro-3-indolyl-b-D-galactopyranoside. (X-Gal) Carbo/UK 1g

5-Bromo-4-chloro-3-indolyl-b-D-galactopyranoside. (X-Gal) (I) Carbo/UK 5g

Bromocresol Green "RMstain". 5g

Bromocresol Greenwater soluble "RMstain". 5g

Bromocresol Green 0.04% Solution "RMstain". 500ml

Bromocresol Green 0.1% Alcoholic "RMstain". 500ml

Bromocresol Green mixed Methyl Red 0.1% Alcoholic 500ml

Bromocresol Purple Indicator "RMstain". 5g

Bromocresol Purple 0.04% Solution "RMstain". 500ml

Bromocresol Purple 0.1% Alcoholic "RMstain". 500ml

Bromocyclopentane 98% Alfa/US 100g

Bromoethane C.P. (Ethyl Bromide) 500ml

2-Bromoethylamine Hydrobromide C.P. (I) 500ml

Bromoform C.P. (I) 250ml

5-Bromo Indoxyl Acetate A.R. (I) 100mg

1-Bromonaphthalene C.P. (I) 100ml

Bromophenol Blue "RMstain". 10g

Bromophenol Blue 0.04% Solution "RMstain". 500ml

Bromophenol Blue 0.1% Alcoholic "RMstain". 500ml

Bromophenol Red. (I) 25g

1-Bromopropane C.P. (I) 250ml

2-Bromopropane C.P. (I) 500ml

3-Bromopropene see Allyl Bromide

Bromopyrogallol Red "RMInd". (I) 1g

n-Bromosuccinimide C.P. 100g

Bromosulphalein C.P. (I) 1g

Bromothymol Blue Indicator "RMstain". 10g

Bromothymol Blue Indicator "RMstain". 25g

Bromothymol Blue 0.04% Solution "RMstain". 500ml

Bromothymol Blue 0.04% Solution "RMstain". 250ml

Bromothymol Blue 0.1% Alcoholic "RMstain". 500ml

Bromo xyleneol Blue. (I) 5g

5-Bromo Uracil C.P. (I) 5g

Buffer Neutral Formalin 10%. 2.5Lts

Buffer Neutral Formalin 10%. 25Lts

Buffer Solution pH 1 "READIL".(Glycine) 1Lt

Buffer Solution pH 2 "READIL". 1Lt

Buffer Solution pH 3 "READIL". (Phthalate) 1Lt

Buffer Solution pH 4 "READIL". (Phthalate) 1Lt

Buffer Solution pH 4 "READIL".Colour Code: RED 1Lt

Buffer Solution pH 5 "READIL". (Phthalate) 1Lt

Buffer Solution pH 6 "READIL". (Phosphate) 1Lt

Buffer Solution pH 7 "READIL". (Phosphate) 1Lt

Buffer Solution pH 7 "READIL".Colour Code: YELLOW 1Lt

Buffer Solution pH 8 "READIL". (Phosphate) 1Lt

Buffer Solution pH 9 "READIL". (Borate) 1Lt

Buffer Solution pH 10 "READIL". (Borate) 1Lt

Buffer Solution pH 10 "READIL".Colour Code: BLUE 1Lt

Buffer Solution pH 11 "READIL". (Borate) 1Lt

Buffer Solution pH 12 "READIL". (Borate) 1Lt

Buffer Solution pH 13 "READIL". 1Lt

Buffer Tablets pH 4.(1 tablet dissolved in 100ml distilled water) (I)
10tablets

Buffer Tablets pH 7.(1 tablet dissolved in 100ml distilled water) (I)
10tablets

Buffer Tablets pH 9.2.(1 tablet dissolved in 100ml distilled water) (I)
10tablets

2,3-Butanedione Oxime see Diacetyl Monoxime

1-Butane Sulfonic Acid Sodium Salt Ion Pair Chrom. (I) 25g

n-Butanoic Acid see n-Butyric Acid

Butanal see Butyraldehyde.

1,4-Butanediol. C.P. (I) 500ml

n-Butanol A.R. (1-Butanol) 2.5Lt

n-Butanol C.P. (1-Butanol) 2.5Lt

iso-Butanol C.P. (iso Butyl Alcohol) 2.5Lt

sec-Butanol A.R (2-Butanol) 2.5Lt

tert-Butanol A.R. (2-Methyl Propan-2-ol) (TBA) 2.5Lt

Butanone see Methyl Ethyl Ketone

Butoxyethanol C.P. (Ethylene Glycol monobutyl Ether) 2.5Lt

n-Butyl Acetate A.R. 2.5Lt

tert-Butyl Acetylchloride 98%+. Alfa/US 5g

tert-Butyl Benzene 97%. Alfa/US 500ml

Butyl Acrylate monomer C.P. (I) 500ml

n-Butylamine C.P. 500ml

tert-Butylamine C.P. 500ml

tert-Butyl Hydroperoxide 70% Aquos Solution. Alfa/US 500ml

Butylated Hydroxyanisole C.P. (BHA) 100g

Butylated Hydroxytoluene C.P. (BHT) 100g

n-Butyl Bromide C.P. 500ml

4-tert-Butyl Catechol C.P. (I) 500g

Butyl Cellosolve see 2-Butoxyethanol

tert-Butyl Chloride C.P. (2-chloro-2-methylpropane) (I) 500ml

tert-Butyl Hydroquinone C.P. (TBHQ) (I) 250g

n-Butyl Iodide see 1-Iodobutane

sec-Butyl Iodide see 2-Iodobutane

tert-Butyl Iodide 97%. Alfa/Us 25g

Butyl Methacrylate C.P. 500ml

tert-Butyl Methyl Ether see Methyl tert-Butyl Ether (MTBE)

4-tert-Butylphenol C.P. (I) 500g

n-Butyl Phosphate see Tri-n-Butyl Phosphate

Butyl Phthalate see Dibutyl Phthalate

Butyl Stearate C.P. (I) 500ml

Butyraldehyde C.P. (Butanal) 500ml

Iso-Butyraldehyde C.P. (I) 500ml

n-Butyric Acid A.R. 500ml

g-Butyrolactone C.P. 500ml

Laboratory Chemicals List (A)

Description

Laboratory Chemicals List: A

Acetamide C.P. (Ethanamide) 500g

Acetate Buffer for chlorine (pH-4) "READIL" 500ml

Acetic Acid glacial A.R. (Ethanoic acid) 2.5Lt

Acetic Acid 95% A.R. (Ethanoic acid) 2.5Lt

Acetic Acid d4 99.5% 5g

Acetic Acid 5% (W/V) 1Lt

Acetic Acid 10% (W/V) 1Lt

Acetic Acid 30% (W/V) 1Lt

Acetic Acid 50% (W/V) 1Lt

Acetic Acid 0.05mol/l (0.05N) 1Lt

Acetic Acid 0.1mol/l (0.1N) 1Lt

Acetic Acid 0.5mol/l (0.5N) 1Lt

Acetic Acid 1.0mol/l (1.0N) 1Lt

Acetic Alcohol "READIL" 1Lt

Acetone A.R. 2.5Lt

Acetone Technical 2.5Lts

Acetone C.P. 2.5Lt

Acetone HPLC. 2.5Lt

Acetone:Alcohol "READIL" 500ml

Acrylamide A.R. 500g

Acrylamide for Electrophoresis. (I) 100g

Acrylamide4X crystallised for Molecular Biology. (I) 100g

30% Acrylamide/Bis-acrylamide. (for electrophoresis) 1Lt

40% Acrylamide/Bis-acrylamide. (for electrophoresis) 1Lt

Acrylic Acid C.P. (I) 500ml

Acrylonitrile stabilised C.P.

Alcohol Absolute 99.7% (Denatured). A.R. 2.5Lt

Alcohol Absolute 99.8% (Undenatured). A.R. 2.5Lt

Alcohol 95%. (Undenatured). A.R. 2.5Lt

Alcohol 95%. (Denatured). A.R. 2.5Lt

Alcohol 95% (Denatured). C.P. 2.5Lt

Alcohol 95% Technical 2.5Lts



Alcohol 96% (Denatured). C.P. 2.5Lt

Alcohol 90% (V/V) 1Lt

Alcohol 80% (V/V) 1Lt

Alcohol 70% (Denatured). A.R. 2.5Lt

Alcohol 30% (V/V) 1Lt

Alcohol 1% (V/V) 1Lt

Alcoholic Silver Nitrate soln. 500ml

Alginic acid C.P. (I) 500g

Alizarin pH Indicator C.I. 58000 "RMstain". 25g

Alizarin 0.1% Alcoholic Solution 500ml

Alizarine Complexone (I) 1g

Alizarine Cyanine Green C.I.61570 (I) R&M 25g

Alizarin red S C.I. 58005 "RMstain". 25g

Alizarin red S 1% Indicating solution "RMstain". 500ml

Alizarine Sulfonic Acid Sodium Salts see Alizarine Red S

Alizarin yellow 2G (Alizarin yellow G) C.I. 14025 "RMstain". 5g

Alizarine yellow R(G) "RMstain". (I) 25g

Alkali Blue 6B C.I. 42765 "RMstain". (I) 5g

Alkaline Iodide-Azide reagent. 500ml

Allantoin C.P. 100g

Alloxan hydrated C.P. (I) 25g

Allure Red. C.I.16035. 50g

Allyl Alcohol C.P. (I) 500ml

Allyl Bromide C.P. (3-Bromo-1-propene) (I/P) 250ml

Allyl Chloride C.P. (3-Chloro-1-propene) 500ml

Allylthiourea C.P. (I) 100g

Aluminium AAS standard soln. 1000mg/l (I) 500ml

Aluminium fine powder C.P. 500g

Aluminium Foil 30x800cm Thickness 0.01mm C.P.

Aluminium Sheet 30x60cm Thickness 7mm C.P.

Aluminium Strip 2cm x 10cm x0.2mm C.P. 5pcs/set

Aluminium Acetate basic A.R. (I) 500g

Aluminium Ammonium Sulphate A.R. (I) 1Kg

Aluminium Chloride anhydrous C.P. (decomposes with water) 500g

Aluminium Chloride 6-Hydrate A.R. 500g

Aluminium Fluoride C.P. (I/P) 500g

Aluminium Hydroxide C.P. 500g

Aluminium Iso-propoxide C.P. (I) 500g

Aluminium Nitrate 9-Hydrate A.R. 500g

Aluminium Oxide A.R. 500g

Aluminium Oxide C.P. 500g

Aluminium Oxide neutral for TLC. (I) 500g

Aluminium Oxide active neutral for C.C. 500g

Aluminium Oxide active acidic for C.C. 500g

Aluminium Oxide active basic for C.C. 500g

Aluminium Oxide G for TLC. (I) 500g

Aluminium Phosphate C.P. (I) 500g

Aluminium Potassium Sulfate A.R./ACS. 1Kg

Aluminium Silicate see Bentonite 1Kg

Aluminium Stearate C.P. (I) 500g

Aluminium Sulfate 30% (W/V) 1Lt

Aluminium Sulfate 40% (W/V) 1Lt

Aluminium Sulfate Hydrate A.R./ACS. 1Kg

Aluminon A.R. (Aurin tricarboxylic acid ammonium salt) 25g

Amaranth (Acid Red 27) C.I.16185 "RMstain". 25g

Amberlite Resin. (IRA-400Cl) 500g

Amberlite Resin. (IRA-120Na) 500g

Amido black 10B C.I.20470 "RMstain". 25g

4-Aminoacetanilide C.P. (I) 100g

2-Aminoacetophenone C.P. (I) 5g

3-Aminoacetophenone C.P. (I) 100g

4-Aminoacetophenone C.P. (I) 100g

Amino acid standard kit for 24 items Set (I) 1Kit

4-Amino Antipyrine A.R. (4-Aminophenazone) 25g

3-Aminobenzoic Acid pure. (I) 100g

4-Aminobenzoic Acid pure. 100g

4-Amino butyric Acid (I) 100g

6-Aminocaproic Acid C.P. (I) 100g

4-Amino-3-Hydroxynaphthalene-1-Sulfonic Acid. (I) 25g

2-Amino-2-Methyl-1,3-Propanediol A.R. (I) 100g

5-Aminonaphthalene-2-Sulfonic Acid C.P. (16-Cleve's Acid) (I) 5g

1-Amino-2-Naphthol-4-Sulfonic Acid C.P. 25g

2-Aminophenol C.P. (I) 100g

3-Aminophenol C.P. (I) 100g

4-Aminophenol C.P. 250g

2-Aminopyridine C.P. (I) 250g

Ammonia Solution 30% A.R. (P) 2.5Lt

Ammonia Solution 25% A.R. (P) 2.5Lt

Ammonical Buffer pH 10 "READIL". (For Hardness of water) 1Lt

Ammoniacal Chloroform. 1Lt

Ammonium Acetate A.R. 500g

Ammonium Adipate C.P. (I) 500g

Ammonium Benzoate C.P. 500g

Ammonium Bicarbonate C.P. 1Kg

Ammonium Bromide A.R. 500g

Ammonium Carbonate A.R. 500g

Ammonium Ceric Nitrate A.R./ACS 250g

Ammonium Ceric Sulfate A.R./ACS. 100g

Ammonium Chloride A.R./ACS. 500g

Ammonium Chloride 5% (W/V) 1Lt

Ammonium Chloride 8.5% (W/V) for Nitrogen "READIL". 1Lt

Ammonium Chromate A.R. (I) 500g

tri-Ammonium Citrate C.P. (I) 500g

Ammonium Cupric Sulfate C.P. (I) 500g

Ammonium Dichromate A.R./ACS. 500g

Ammonium Dihydrogen Phosphate A.R. 500g

Ammonium Ferric Citrate A.R. (I) 500g

Ammonium Fluoride A.R. (P) 500g

Ammonium Fluoride 40% (W/V) . (P) 1Lt

Ammonium Formate A.R. (I) 500g

Ammonium Heptamolybdate see Ammonium Molybdate

Ammonium Hydrogen Carbonate see Ammonium Bicarbonate

Ammonium Hydrogen Difluoride A.R. (Ammonium Bifluoride) 1Kg

di-Ammonium Hydrogen Citrate A.R. 500g

di-Ammonium Hydrogen Phosphate A.R. 500g

Ammonium Hydrogen Sulphate A.R. R&M 1Kg

Ammonium Hydroxide see Ammonia Solution

Ammonium Phosphate Dibasic ASTM No:139 1Lt

Ammonium Phosphate Dibasic for Magnesium 1Lt

Ammonium Iodide A.R. (I) 50g

Ammonium Iron (III) Citrate A.R. 500g

Ammonium Iron (II) Sulfate 6-Hydrate A.R./ACS. 1Kg

Ammonium Iron (II) Sulfate 0.1N soln. 1Lt

Ammonium Iron (III) Sulfate 12-Hydrate A.R. 1Kg

Ammonium Metavanadate see Ammonium meta-Vanadate

Ammonium Monovanadate see Ammonium meta-Vanadate

Ammonium Molybdate 4-Hydrate A.R. 250g

Ammonium Nickel Sulfate A.R. (I) 100g

Ammonium Nitrate A.R./ACS. 500g

Ammonium Nitrate 10% Solution 2.5Lt

Ammonium Oxalate 1-Hydrate A.R. (P) 500g

Ammonium Oxalate 5% (W/V) "READIL". (P) 1Lt

Ammonium Pentaborate C.P. (I/P) 500g

Ammonium Peroxydisulfate see Ammonium persulfate

Ammonium Persulfate A.R. (Ammonium Peroxydisulfate) 1Kg

Ammonium Phosphate Dibasic see di-Ammonium Hydrogen Phosphate

Ammonium Phosphate monobasic see Ammonium Dihydrogen Phosphate

Ammonium Rhodanide see Ammonium Thiocyanate

Ammonium Purpurate see Murexide

Ammonium Pyrrolidine Dithiocarbamate see Ammonium Tetramethylenedithiocarbamate

Ammonium Reineckate A.R. (Colour Reagent & pptd for Mercury) (I) 10g

Ammonium Sulfamate A.R. (I) 500g

Ammonium Sulfamate C.P. (I) 500g

Ammonium Sulfate A.R. 1Kg

Ammonium Sulfate 1.0 M "READIL". 1Lt

Ammonium Sulfide 8% Solution C.P. 500ml

Ammonium (+) Tartrate A.R. 500g

Ammonium Thiocyanate A.R. 500g

Ammonium Thiocyanate 0.1N. "READIL". 1Lt

Ammonium Thiocyanate 1.0N. "READIL". 1Lt

Ammonium Thiocyanate ASTM No:140 "READIL". 1Lt

Ammonium Thiosulfate C.P. 500g

Ammonium Tungstate C.P. (I) 100g

Ammonium meta-Vanadate A.R./ACS. 100g

n-Amyl Acetate C.P. 2.5Lt

Iso-Amyl Acetate C.P. (I) 2.5Lt

n-Amyl Alcohol A.R. (1-Pentanol) 2.5Lt

Iso-Amyl Alcohol A.R. (3-Methyl-1-butanol) 2.5Lt

Amylase see Diastase

Andrade's Indicator. 500ml

Aniline C.P. (Pehylamine) 500ml

Aniline Blue alcohol soluble C.I.42775 "RMstain". 25g

Aniline Blue 1% alcoholic solution "RMind" 500ml

Aniline Blue water Soluble (I) 25g

Aniline Hydrochloride C.P. 250g

Aniline Sulfate Lab 250g

Aniline Sulfate alcoholic (acidified) "RMstain". 100ml

Anisaldehyde pure. 500ml

Aniseed Oil pure. 1Kg

p-Anisic acid C.P. (I) 100g

m-Anisidine C.P. (I) 100ml

o-Anisidine C.P. 250ml

p-Anisidine "Biochem". (I) 100g

Anisole C.P. (Methoxybenzene) 500ml

Anthracene pure. 100g

Anthracene for Scintillation. (I) 25g

Anthranilic acid 98+%. (2-Aminobenzoic acid) 500g

Anthraquinone C.P. 100g

Anthraquinone-2-Sulfonic Acid Sodium salts A.R. (I) 25g

Anthrone A.R. 25g

Anti Bumping Granule Lab. 250g

Anti Foaming Agent - Silicone Base 1Lt

Anti Foaming Agent- Aqueous Base 1Lt

Anti A.(for blood test) - 10ml Canada 10vial/box

Anti B.(for blood test) - 10ml Canada 10vial/box

Anti D.(for blood test) - 10ml Canada 10vial/box

Antimony AAS standard soln. 1000mg/l (I/P) 500ml

Antimonyl powder A.R./ACS. (P) 100g

Antimonyl (III) Chloride A.R. (P) 500g

Antimonyl (III) Oxide A.R. (P) 500g

Antimonyl Pentoxide C.P. (I/P) 250g

Antimonyl Potassium Tartrate A.R. (P) 250g

Antimonyl (III) Sulphide C.P. (I/P) 500g

Antimonyl trichloride see Antimonyl (III) Chloride

Antimonyl trioxide see Antimonyl (III) Oxide

L-Arabinose (I) 10g

L-Arginine free acid "Biochem". (I) 100g

L-Arginine monoHCl "Biochem". (I) 100g

D-Arginine free acid "Biochem". (I) 1g

D-Arginine monoHCl "Biochem". (I) 1g


Arsenazo I A.R. (I) 1g

Arsenazo III A.R. (I) 5g

Arsenic AAS standard soln. 1000mg/l (I/P) 500ml

Arsenic (III) Oxide A.R. (P) 500g

Asbestos for Gooch Crucibles (I) 500g



Sanitizers (Food Grade)

Description

Certified Food Safety Chemicals

SANITIZERS

1. Granular chlorine sanitizer.

Features: Versatile, effective, stable and fast dissolving chlorinator.

Suitable for: Vegetables and fruits sanitizer.

2. Granular chlorinating sanitizer and cleaner for food contact.

Suitable for: Kitchen equipment, utensils, shake and soft serve machine.

Application: Use 100ppm solution for all equipment and utensils, no rinsing required.

3. Concentrated granular chlorine sanitizer.

Features: Versatile, effective, stable and fast dissolving chlorinator.

Application: 1:2500 – 10,000 dilution.

4. QAC-based sanitizer.

Suitable for: All food contact surfaces, including foot bath.

5. Four chain QAC sanitizer.

Suitable for: All food contact surfaces.

Application: 400ppm non-rinse claim for food contact surfaces.

6. Peroxyacetic acid sanitizer.

Features: High oxidizing potential, effective against broad range of microorganisms.

Suitable for: Food processing industries.

7. Versatile biguanide-based sanitizer.

Features: Non-corrosive, effective against broad range of microorganisms.

Suitable for: Pharmaceuticals and food processing industries.

8. Hypochlorite-based sanitizer, bactericide and deodorizer.

Application: 200ppm solution for food processing equipment.

9. Broad spectrum, one-step, hard surface disinfectant/ cleaner and sanitizer.

Features: Deliver effective biocidal action against bacteria, fungi, viruses and exceptional cleaning performance. Non-fragrance.

Suitable for: All surfaces such as tables, floors, walls, door knob, handles, countertops and food contact surfaces without potable water rinse.

Hand Wash (Food Grade)

Description

Certified Food Safety Chemicals

HAND WASH

1. Antibacterial liquid hand wash.

Features: PCMX-based antimicrobial agent.

Suitable for: Food handlers.

2. Antibacterial foaming hand wash.

Features: PCMX-based antimicrobial agent.

Suitable for: Food handlers.

3. Pearllised liquid hand wash.

Features: Pleasant scent.

Suitable for: Restaurant patrons.

4. Non-rinse alcohol hand sanitizer.

Features: Contains emollient to prevent skin dryness. 70% alcohol content.



Warewashing (Food Grade)

Description

Certified Food Safety Chemicals WAREWASHING

1. Concentrated utensils and equipment cleaner.

Features: Tough on soil, yet gentle to hands.

Suitable for: Cooking equipment, cutlery, dishes and cutlery.

2. Oxygen-based de-staining compound.

Suitable for: Removing coffee, tea and food stains from melamine wares, china and metal utensils.

3. Liquid alkaline non-foam cleaner.

Features: Remove starch, protein, fats and oils.

Suitable for: Pressure washers, soak tanks and automatic washing equipment.

4. Liquid rinse additive.

Features: Provides outstanding sheeting action to promote rapid drying and prevents spotting.

Suitable for: Automatic injection into final rinse cycles of ware washing units, tunnel washers and rack washers.

Acid Cleaners (Food Grade)

Description

Certified Food Safety Chemicals

ACID CLEANERS

Types of Food Grade Acid Cleaners as follows:

1. Acidic cleaner for effective hard water, silica scale and inorganic soil removal.

Features: Non-foaming.

Suitable for: Manual and CIP cleaning.

2. Liquid acid-based cleaner of food processing facilities.

Features: Removes milk stone, lime scale, mineral deposits, rust and water scale.

Suitable for: manual and foam cleaning.

3. Lime and mineral deposits remover.

Features: Non-foaming.

Suitable for: Automatic dishwasher and CIP.

4. Granular scale and lime remover.

Suitable for: Ice machines, shake/soft serve machines and steam equipment.



Degreasers (Food Grade)

Description

Certified Food Safety Chemicals

DEGREASERS

Types of food grade degreasers we offer as follows:

1. Heavy duty liquid chlorinated alkaline foam cleaner.

Features: Removes greases, oils and starch deposits.

2. Concentrated alkaline degreaser, for a maximum degreasing effect.

Features: Penetrates and emulsifies the toughest grease, oils, waxes, adhesive residues and industrial grime. Non-flammable, non-toxic and inhibited.

Suitable for: Heavily soiled surfaces.

3. Non-solvent based degreaser for food-contact surfaces.

Features: Does not emit foul solvent odor. Leaves no residue.

4. Dissolves away build-up grease, cooking deposits and carbons from grills, ovens, grease filter ducts, and deep fryers.

Suitable for: CIP, bottle washing and all food processing equipment. Not for use on soft metal surfaces.

5. Non-caustic oven cleaner.

Features: Removes build-up grease, cooking deposits and carbons from grills, ovens, grease filter ducts, and deep fryers.

Suitable for: All food processing equipment.

General Cleaners (Food Grade)

Description

Certified Food Safety Chemicals

GENERAL CLEANERS

These are several types of general cleaners that we offer:

1. Alkaline general cleaner with disinfectant.

Features: For very tough cleaning jobs.

Suitable for: Food contact surfaces. Not for use on aluminum and galvanized steel.

2. Mild alkaline-based general cleaner for tough cleaning job.

Features: Safe on hands, leaves no residue, unscented.

Suitable for: Commercial kitchen, food processing areas and etc.

3. Combined solution for cleaning, bleaching, sanitizing usage.

Features: Removes dirt, soil contaminants and especially mold and fungi commonly found in damp area.

Suitable for: Kitchen floor, washroom and others.

4. Floor and Hard surface cleaner with natural insect repellent.


Features: Removes soil and repels flies, mosquitoes and ants. Gentle to hands.

Suitable for: Floor and hard surface areas.

5. Economical all-purpose cleaner for all washable surfaces.

Features: Remove soils effectively. Leaves no residues.

Suitable for: All washable surfaces.



Sorbent Sock - Chemical / Universal

Description

Sorbent Sock - Chemical (Yellow)

1. Size: 7.6cm (D) x 1.2m

Packing: 12pcs/carton

Absorbency: > 100 liters

2. Size: 7.6cm (D) x 3.6m

Packing: 4pcs/carton

Absorbency: > 100 liters

Sorbent Sock - Universal (Black)

1. Size: 7.6cm (D) x 1.2m

Packing: 12pcs/carton

Absorbency: > 100 liters

2. Size: 7.6cm (D) x 3.6m

Packing: 4pcs/carton

Absorbency: > 100 liters

Sorbent Pillow - Chemical/ Oil/ Universal

Description

Chemical Sorbent Pillow (Yellow)

1. Size: 20cm x 25cm

Packing: 32pcs/carton

Absorbency: > 90 liters

2. Size: 40cm x 50cm

Packing: 16pcs/carton

Absorbency: > 144 liters

Oil Sorbent Pillow (White)

1. Size: 20cm x 25cm

Packing: 32pcs/carton

Absorbency: > 90 liters

Universal Sorbent Pillow (Black)

1. Size: 20cm x 25cm

Packing: 32pcs/carton

Absorbency: > 90 liters

2. Size: 40cm x 50cm

Packing: 16pcs/carton

Absorbency: > 144 liters





Laminate Sorbent Pad - Chemical/ Oil/ Universal

Description

Chemical Laminate Sorbent Pad (Yellow)

1. Laminate Sorbent Pad

Thickness: 3mm (Absorbency > 145 Liters)

Packing: 200 pcs/ctn

2. Laminate Sorbent Pad

Thickness: 8mm (Absorbency > 145 Liters)

Packing: 100 pcs/ctn

Oil Laminate Sorbent Pad (White)

1. Laminate Sorbent Pad

Thickness: 3mm (Absorbency > 145 Liters)

Packing: 200 pcs/ctn

2. Laminate Sorbent Pad

Thickness: 8mm (Absorbency > 145 Liters)

Packing: 100 pcs/ctn

Universal Laminate Sorbent Pad (Black)

1. Laminate Sorbent Pad

Thickness: 3mm (Absorbency > 145 Liters)

Packing: 200 pcs/ctn

2. Laminate Sorbent Pad

Thickness: 8mm (Absorbency > 145 Liters)

Packing: 100 pcs/ctn

All items above are suitable for: Laboratory spills and transportation hazardous material spill response

Oil Spill Kit - 240L (Cart)

Description

1 pc - 240 liter Transporter

4 pcs - Oil-only Sorbent Sock (1 pc-able to absorb > 25 liters)

8 pcs - Oil-only Sorbent Pillow (1 pc-able to absorb > 9 liters)

40 pcs - Oil-only Sorbent Pads (1 pc-able to absorb > 1.4 liters)

10 pcs - Hazardous material disposable bag 42" x 52" 10 pcs - Cable Tie

2 pcs - Disposable Coverall

2 prs - Anti Fog Goggle

2 prs - Nitrile Glove



Chemical Spill Kit - 240L (Cart)

Description

1 pc - 240 liter Transporter

4 pcs - Chemical Sorbent Sock (1 pc-able to absorb > 25 liters)

8 pcs - Chemical Sorbent Pillow (1 pc-able to absorb > 9 liters)

40 pcs - Chemical Sorbent Pads (1 pc-able to absorb > 1.4 liters)

10 pcs - Hazardous material disposable bag 42" x 52"

10 pcs - Cable Tie

2 pcs - Disposable Coverall

2 prs - Anti Fog Goggle

2 prs - Nitrile Glove



Oil Spill Kit - 120L (Cart)

Description

1 pc - 120 liter Transporter

2 pcs - Oil-only Sorbent Sock (1 pc-able to absorb > 25 liters)

4 pcs - Oil-only Sorbent Pillow (1 pc-able to absorb > 9 liters)

20 pcs - Oil-only Sorbent Pads (1 pc-able to absorb > 1.4 liters)

10 pcs - Hazardous material disposable bag 24" x 30"

10 pcs - Cable Tie

2 pcs - Disposable Coverall

2 prs - Anti Fog Goggle

2 prs - Nitrile Glove





Chemical Spill Kit - 120L (Cart)

Description

- 1 pc - 120 liter Transporter
- 2 pcs - Chemical Sorbent Sock (1 pc-able to absorb > 25 liters)
- 4 pcs - Chemical Sorbent Pillow (1 pc-able to absorb > 9 liters)
- 20 pcs - Chemical Sorbent Pads (1 pc-able to absorb > 1.4 liters)
- 10 pcs - Hazardous material disposable bag 24" x 30"
- 10 pcs - Cable Tie
- 2 pcs - Disposable Coverall
- 2 prs - Anti Fog Goggle
- 2 prs - Nitrile Glove

Oil Spill Kit - 18L (Portable)

Description

- 1 pc - 18 liter Pail
- 2 pcs - Oil-only Sorbent Sock (1 pc-able to absorb > 8.25 liters)
- 2 pcs - Oil-only Sorbent Pillow (1 pc-able to absorb > 2.5 liters)
- 5 pcs - Oil-only Sorbent Pads (1 pc-able to absorb > 0.725 liters)
- 2 pcs - Hazardous material disposable bag 24" x 30"
- 2 pcs - Cable Tie
- 1 pr - Anti Fog Goggle
- 1 pr - Nitrile Glove



Chemical Spill Kit - 18L (Portable)

Description

- 1 pc - 18 liter Pail
- 2 pcs - Chemical Sorbent Sock (1 pc-able to absorb > 8.25 liters)
- 2 pcs - Chemical Sorbent Pillow (1 pc-able to absorb > 2.5 liters)
- 5 pcs - Chemical Sorbent Pads (1 pc-able to absorb > 0.725 liters)
- 2 pcs - Hazardous material disposable bag 24" x 30"
- 2 pcs - Cable Tie
- 1 pr - Anti Fog Goggle
- 1 pr - Nitrile Glove



Flammable Storage Cabinet

Description

Flammable Storage Cabinet

- Size : 1090 X 450 X 1650mm - 45 Gallons (2 Doors/ 2 Shelves)
- Twin Doors With 3 Point Latch Grip Handles
- Air Vent Holes
- Baked Epoxy Finish
- Prominent Hazard Label at Door
- Levelling Screws at Foot
- 2 Adjustable Shelves

** Manufactured in accordance to OSHA & NFPA standards **

Various sizes available!

Kindly email your required size to challenger@challenger.com.my for more information.



Acid Corrosive Cabinet

Description

Acid Corrosive Cabinet (Sulphuric Acid / Nitric Acid)

- Material : Polyethylene (Blue)
- Size : 885 x 548 x 915mm
- 4 adjustable shelves (2 on each side)
- Air Vent Holes

** Suitable for strong acids **

Various sizes available!

Kindly email your required size to challenger@challenger.com.my for more information.

Chemical Storage Safety Cabinet

Description

Chemical Storage Cabinet

- Size : 1090 X 450 X 1650mm - 45 Gallons (2 Doors and 2 Shelves)
- Twin Doors With 3 Point Latch Grip Handles
- Air Vent Holes
- Baked Epoxy Finish
- Prominent Hazard Label at Door
- Levelling Screws at Foot
- 2 Adjustable Shelves

* Manufactured In Accordance to OSHA & NFPA standards

Various sizes available!

Kindly email your required size to challenger@challenger.com.my for more information.



Challenger Non-Woven Disposable Hair Net

Brand.....Challenger

Description

Challenger Non-Woven Disposable Hair Net

Packing: 100 pcs/pkt, 10 pkts/ctn

Challenger Vinyl Glove

Brand.....Challenger

Description

Challenger Vinyl Glove

Sizes: S, M, L

Packing: 100pcs/box, 10 boxes/ctn





Challenger Disposable Blue Nitrile Glove

Brand.....Challenger

Description

Challenger Disposable Blue Nitrile Glove

Sizes: S, M, L, XL

Packing: 100pcs/box, 10 boxes/ctn

Challenger Latex Glove

Brand.....Challenger

Description

Challenger Latex Glove

Sizes: M, L, XL

Packing: 100pcs/box, 10 boxes/ctn



Elmasonic X-tra Basic

Brand.....ELMA

Description

Powerful ultrasonic cleaners.

The floor-standing ultrasonic cleaners in the Elmasonic X-tra basic series are perfect for production, maintenance and service as they enable individual compilation of the required equipment for cleaning, rinsing and drying. Extensive equipment features make working with the machines easy and effective at the same time. All machines are on rollers and can be used particularly easily at different places of the production or in the workshop.

The frequency of 25 kHz for rough cleaning and of 45 kHz for fine cleaning can be set manually with the Elmasonic X-tra series. The floor-standing ultrasonic cleaners are available in 6 different bath sizes (30 to 250 litres filling volume), with integrated Sweep function and switchable Pulse function for optimum sound distribution and for intensification of the cleaning effect.

	30 litres	50 litres	75 litres	100 litres	150 litres	250 litres
Volume in litres	30	50	75	100	150	250
Weight (kg)	270	400 (3 x 200)	450 (3 x 200)	450 (3 x 200)	450 (3 x 200)	450 (3 x 200)
Maximum power (kW)	0.05	0.05	0.05	0.05	0.05	0.05
Frequency (kHz)	25/45	25/45	25/45	25/45	25/45	25/45
Dimensions (mm)	400x300x150	400x300x150	400x300x150	400x300x150	400x300x150	400x300x150
Power (kW)	1 x 1500	1 x 1500	1 x 1500	1 x 1500	1 x 1500	1 x 1500
Weight (kg)	1000 (3 x 300)	1000 (3 x 300)	1000 (3 x 300)	1000 (3 x 300)	1000 (3 x 300)	1000 (3 x 300)
Max. internal dimensions (mm)	300x200x100	300x200x100	300x200x100	300x200x100	300x200x100	300x200x100
Max. external dimensions (mm)	400x300x150	400x300x150	400x300x150	400x300x150	400x300x150	400x300x150
Max. load (kg)	30	30	30	30	30	30

Elmasonic Podo Basic

Brand.....ELMA

Description

Professional ultrasonic cleaning in cosmetics and podiatry.

The Elmasonic Podo basic is made from robust stainless steel and can be used with any standard detergents and disinfectants. The scope of delivery is designed to meet the requirements of the podiatry and cosmetics industries and includes 1 plastic basket, 1 plastic lid, 2 small parts bins and 1 pair of tweezers in addition to the device.



Ultrasonic Frequency (kHz)	37
Power Consumption Total (W)	30
Mains Voltage (Vac)	100/115/230
Unit Outer Dimensions W/D/H (mm)	206/116/178
Tank Inner Dimensions W/D/H (mm)	190/85/60
Basket Inner Dimensions W/D/H (mm)	178/80/47
Tank Capacity (l)	0.8
Weight (kg)	2.0



Technical data			
Mains voltage (VAC)	100-120 V/220-240 V	Weight (kg)	3.3
Mains frequency (Hz)	50	Material tank	stainless steel
Ultrasonic frequency (kHz)	37	Material basket	stainless steel
Power consumption total (W)	80	Chair arm	30°
Power consumption total (W) (Podo)	280	Handles	✓
Ultrasonic power effective (W)	60	C/C component	✓
Ultrasonic power (peak max) (W)	320	Production class	IP 20
Heating power (W) (Podo)	200		
Unit outer dimensions W/D/H (mm)	300 / 170 / 214		
Tank inner dimensions W/D/H (mm)	240 / 127 / 100		
Water filling level (mm)	2.75		

Elmasonic Denta Pro

Brand.....ELMA

Description

Programmed professional ultrasonic cleaning.

The Elmasonic Denta Pro as variant of the Elmasonic S 30 has been specially developed for the tasks in the dental area.

In contrast to the Elmasonic S machine series, preset programs here make the daily work easier and guarantee a standardised cleaning process for each cleaning cycle. For example, the overtemperature protection switches off the heater in good time and prevents the hardening of the blood proteins.

Elmasonic P

Brand.....ELMA

Description

The most professional way of using ultrasound.

Equipped with special functions, the Elmasonic P units are the ideal assistant for tasks and applications in analytical and medical laboratories or for intensive cleaning in industrial areas.

The product line comprises 6 machine sizes and multi-frequency technology with 37/80 kHz for different applications. The standard applications are performed at 37 kHz while finer cleaning processes with increased cleaning time run at the high frequency of 80 kHz. The high frequency is also hardly audible (even when the cover is open). Special functions such as Sweep, Pulse and Degas can be individually activated and complete the equipment.



Technical Data						
	P 30/4	P 60/4	P 90/4	P 120/4	P 180/4	P 300/4
Tank inner capacity (l)	2.75	5.75	9.0	12.75	18.0	28.0
Tank inner dimensions W/D/H (mm)	240/127/100	280/140/110	340/160/120	380/170/130	450/190/140	550/230/160
Unit outer dimensions W/D/H (mm)	300/170/214	350/180/220	400/190/230	450/200/240	550/230/260	650/260/290
Weight (kg)	3.3	5.5	7.5	10.0	15.0	25.0
Power consumption total (W)	80	120	160	200	300	400
Ultrasonic power effective (W)	60	90	120	150	225	300
Ultrasonic power (peak max) (W)	320	480	640	800	1200	1600
Heating power (W)	200	300	400	500	750	1000
Water filling level (mm)	2.75	2.75	2.75	2.75	2.75	2.75



Eltasonic EASY										
Technical Data										
	EASY 10	EASY 15	EASY 20	EASY 25	EASY 30	EASY 35	EASY 40	EASY 50	EASY 120	EASY 160
Ultrasonic frequency (kHz)	20	20	20	20	20	20	20	20	20	20
Tool capacity max. (kg)	0.8	1.5	2.5	3.4	5.0	5.5	5.75	8.0	12.0	20.0
Tool holder capacity (kg)	0.8	1.2	1.9	3.2	4.4	7.5	8.3	9.9	16.0	28.0
Maximum power effect (kg)	0.8	1.5	2.5	3.4	5.0	5.5	5.75	8.0	12.0	20.0
Pushing power (kg)	0.8	1.0	2.0	2.0	4.0	4.0	4.0	8.0	8.0	12.0
Self-retained data (W/cm²) (psi)	260/1000	260/1000	260/1000	260/1000	260/1000	260/1000	260/1000	260/1000	260/1000	260/1000
Self-retained data (W/cm²) (psi)	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200
Self-retained data (W/cm²) (psi)	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200	120/1200
Weight (kg)	2.0	2.1	3.3	4.0	5.1	5.9	7.3	8.3	11.0	17.0

Brand.....ELMA

Description

The Elmasonic EASY series includes 9 units of different sizes and is characterized by simple, user-friendly operation. With 100 % ultrasonic power at a frequency of 37 kHz, the Pulse function and visual warning (when bath temperature reaches the set limit), the Elmasonic EASY solves typical cleaning tasks in the dental practice and dental laboratory quickly and efficiently.

The activatable function “Pulse” is suited to remove tenacious, mineral soiling and polishing pastes. The ultrasonic power is increased up to 20 %, so that any soiling will be removed easily and quickly.

The limit temperature can be adjusted according to individual requirements. When the set temperature limit is reached the unit gives out a visual warning that helps to prevent the coagulation of proteins and protects sensitive items from damage due to high temperatures.

The ElmaSonic EASY units are available in 9 different sizes, all with stainless-steel casing. They are equipped with higher unit feet, which improves the protection of the electronics against splashwater. From the EASY 30 H upwards the units are equipped with a heating and from the EASY 60 H upwards they have drain duct on the rear.

Furthermore the Elmasonic EASY units are covered by the "Elma Commitment to Quality" with 2 years warranty and replacement guarantee for the first year following date of purchase.

WYPALL* Microfibre Cloths with MICROBAN Antimicrobial Product Protection

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Size : 40cm x 40cm

Quantity per Pack : 6

Quantity per Case : 4

Colour code:

83610 - Yellow

83620 - Blue


83630 - Green

83980 - Red

WYPALL* Microfibre Cloths with MICROBAN® Antimicrobial Product Protection are designed with the cleaning professional in mind.

- 100% fully split fibre designed to hold debris and minimize transfer between surfaces

- Removes up to 99.9% of bacteria from surface
- Perfect for use in dry and wet cleaning applications
- Can be laundered more than 300 times at less than 60 °C
- MICROBAN® Antimicrobial Treatment keeps wipers fresh
- Available in multiple colours





KIMTECH SCIENCE* KIMWIPES* Delicate Task Wipers

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

KIMTECH SCIENCE* KIMWIPES* Wipers are versatile options for critical and delicate tasks such as lab cleaning, surface/parts cleaning, instrument cleaning and lens cleaning.

Available in packing:

1. Code: 34155

Size : 11.4cm x 21.6cm

Quantity per Pack : 280 pcs

Quantity per Case : 60 pkts

2. Code: 34256

Size : 37.3cm x 42.1cm

Quantity per Pack : 140 pcs

Quantity per Case : 15 pkts

KIMTECH* Alcohol Antibacterial Wipers

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Quantity per Pack : 70

Quantity per Case : 12

Size : 14.3cm x 21cm

Code: 4100

KIMTECH* Alcohol Antibacterial Wipes are pre-moistened with a multi-surface commercial grade disinfectant (70% Isopropyl Alcohol). Available in a compact, self-dispensing canister. It's a fast and hygienic way to disinfect surfaces from bacteria. In fact it kills 99.9% of bacteria. Ideal for cleaning telephones, keyboards, typewriters, copy machines, computer screens, glass, mirrors and non-permanent ink from whiteboards. It kills 99.9% of bacteria on pre-cleaned, hard, non porous food & non food surfaces. Key Features: •Commercial Grade Disinfectant, impregnated with 70% Isopropyl Alcohol •Kills 99.9% of Bacteria •With a compact, easy to use dispenser





Elmasonic S

Brand.....ELMA

Description

16 =The sum of all possibilities!

Whether in the laboratory, doctor's surgery, at the optician, jeweller or watchmaker, in industrial companies or service workshops, the Elmasonic S units with their functional equipment and ultrasound frequency of 37 kHz are ideally equipped for different cleaning tasks.

The Elmasonic S series comprises a range of 16 machine sizes (0.5 to 90 litres filling volume) and microprocessor-controlled functions such as Sweep and Degas. Temperature and cleaning duration can also be selected manually and indicated using an LED indicator.

HOUSE Leads

Description

EN ISO 20345 2011

Out Sole - Eva & Nitrile Rubber

Toe Cap - Composite

Mid Sole - Aramid

Shoe Upper - Microfiber Leather

Category - S3

Lining - Mesh Nylon

Insole - Premoulded

Size Range - EU 36-47





Jenway 4150 Premier Conductivity or TDS Meters

Description

Totally waterproof system rated to IP67

Results displayed in Conductivity units or TDS

Data logging - up to 100 entries

Automatic standard recognition

User selectable temperature coefficient

100 hours operation with auto shut down

Menu driven operation

Please click [here](#) for more information

Jenway 470 Enterprise Conductivity or TDS Meter

Description

Automatic range selection for optimum resolution

Automatic or Manual calibration

32 reading data storage

Conductivity and TDS modes

Power on self-test routine

500 hours battery life

Supplied with FREE carry case

Please click [here](#) for more information



Vortex Mixer

Description

Variable speed control between 200 and 2500rpm

- Intermittent or continuous mode
- Stable low profile body
- Robust die-cast construction

Comes with BioCote



Please click [here](#) for more information

Orbital Shaker [Heidolph]

Description

6 shaking motions

Optional incubating system

Controlled temperature to your sample



Orbital Shaker (Stuart)

Description

- Smooth orbital shaking action
- Orbit of 16mm is ideal for larger samples, e.g. multi-well plates
- Built-in digital timer
- Variable speed control to 300rpm
- Supplied with non-slip mat for multi-well plates etc.
- Optional accessory cradle system for flasks and bottles

Comes with BioCote

Please click [here](#) for more information

Hotplate Stirrer UC152

Description

Choice of robust aluminium or chemically resistant ceramic tops

Robust coated aluminium

Chemically resistant ceramic

Flashing \pm °Hot warning light, mains independent

Accurate temperature control with LED indicator scale

Compact space saving design





Hotplate Stirrer Favorit [Favorit]

Description

Robust construction
 Rugget-cast aluminium base chassis
 Solid ceramic top plate
 Build-in support rod mount for retort rod
 Easy operate, with large and prominent control knobs
 Temperature controlled by efficient infinite energy regulator
 Precise and continuously adjustable temperature control
 Speed controlled by solid state electronic controller
 Smooth and continuously adjustable speed control
 Direct-drive motor provides quiet, reliable operation
 Individual indicator lights to show heater or stirrer is in operation
 Protected by safety fuse

Click [here](#) for more information

Wypall X80 Colour-Coded Wipers

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Different colours for different areas and applications, prevent cross contamination effectively
 Made of Hydroknit fast-absorbing material, absorbs liquids, oil and spills faster and more
 Cloth-like comfort for more effective clean-up
 Tough enough for extended use and reusable
 25-sheet poly wrapped for more hygienic and convenient wiping

Understanding Wipers (Links)

We RECYCLED, REPLANT

Product Code: 07565

SAP Code: 10008253

Product Description: WYPALL* X80 Wipers

Type: Interfold

Colour: Blue

Material: HYDROKNIT*

Size: 35cm x 42cm

Put up: 10/25

Case Count: 250

Product Code: 07566

SAP Code: 10008254

Product Description: WYPALL* X80 Wipers



Type: Interfold

Colour: Green

Material: HYDROKNIT*

Size: 35cm x 42cm

Put up: 10/25

Case Count: 250

Product Code: 07567

SAP Code: 10008256

Product Description: WYPALL* X80 Wipers

Type: Interfold

Colour: Yellow

Material: HYDROKNIT*

Size: 35cm x 42cm

Put up: 10/25

Case Count: 250

Product Code: 07568

SAP Code: 10008257

Product Description: WYPALL* X80 Wipers

Type: Interfold

Colour: Red

Material: HYDROKNIT*

Size: 35cm x 42cm

Put up: 10/25

Case Count: 250

Pls click [here](#) for more information



Wypall X70 Manufactured Rags

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

WYPALL* X70 Wipers are high performance, fast absorbing wiping cloths. They are strong and bulky, making them ideal for tough jobs, such as cleaning grills, ovens or machinery. WYPALL* X70 Wiping Cloths are also durable. They can be used for a specific task during an entire shift and then thrown away - helping keep bacteria at bay, which can accumulate when a cloth is left overnight. In this format they make an ideal tea towel replacement as there are no creases or perforations, and the flat-packed box is easy to store under a bench or on a trolley. They are a Single sheet wiper made from our patented HYDROKNIT* material which is comprised of soft, absorbent cellulose fibres and strong polypropylene non-woven fabric. The cellulose component allows these wiping cloths to absorb water quickly and effectively, while the tear-resistant polypropylene fabric soaks up more than its own weight in oil and grease. The result is a durable and absorbent wiper, which can be used wet or dry. The wipers are produced in a HACCP certified facility. WYPALL* X70 Wipers are high performance, fast absorbing wiping cloths. They are strong and bulky, making them ideal for tough jobs, such as cleaning grills, ovens or machinery. WYPALL* X70 Wiping Cloths are also durable. They can be used for a specific task during an entire shift and then thrown away - helping keep bacteria at bay, which can accumulate when a cloth is left overnight.

Highlights

- Pound for pound absorbs more oil and water than cloth or rags
- Cleans oil, grime and solvent with just one wipe
- Versatile and economical alternative to scrap rags and shop towel of recommended industry

Product Code: 94171

SAP Code: 10008313

Product Description: WYPALL* X70 Wipers

Type: Flat Sheet

Colour: White

Material: HYDROKNIT*

Size: 35cm x 42.1cm

Put up: 1/300

Case Count: 300

Product Code: 95412

SAP Code: 10008315

Product Description: WYPALL* X70 Quarter Fold

Type: 1/4 fold

Colour: White

Material: HYDROKNIT*

Size: 28cm x 35cm

Put up: 10/90

Wypall X60 Reinforced Wipers

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

WYPALL* X60 Wipers are versatile, offering a balance between performance and value. They combine softness and absorbency, making them ideal for personal wiping. WYPALL* X60 Wiping Cloths can also be used to clean tight corners on machinery due to their flexible nature.

Application

Applying thinners & solvents
Cable lubricant removal
Adhesive cleaning
Removing grease & oil in tight areas
Autoclaved for Healthcare applications



Product Code: 92805

SAP Code: 10007732

Product Description: WYPALL* X60 Wipers

Type: Pop-Up* Box

Colour: White

Material: HYDROKNIT*

Size: 17cm x 42.6cm

Put up: 12 x 150

Case Count: 1800

Product Code: 93495

SAP Code: 10008309

Product Description: WYPALL* X60 Quarter Fold

Type: 1/4 fold

Colour: White

Material: HYDROKNIT*

Size: 28cm x 35cm

Put up: 8 x 100

Case Count: 800

Product Code: 04224

SAP Code: 10007734

Product Description: WYPALL* X60 Roll

Type: Roll

Colour: White

Material: HYDROKNIT*

Size: 31cm x 34.5cm

Put up: 1 x 900

Case Count: 900

Product Code: 88731

SAP Code: 10008349

Product Description: Floor Mounted Stand

Type: Dispenser

Colour: Black

Material: Steel

Size: n/a

Put up: 1

Case Count: 1

Pls click [here](#) and [here](#) for more information



Wypall L30 Wipers

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Please click [here](#) for local packaging

Light-duty clean-ups
Janitorial and maintenance wiping
Process line wiping and cleaning
Single use parts and tools clean-ups
Hydraulic leak soakers and wiping
Conveyor and roller cleaning
Retail store maintenance and cleaning

Product Code: 28101

SAP Code: 10009522

Product Description: WYPALL*L30 Wipers

Type: BRAG* Box

Colour: Brown

Material: 3-ply-paper

Size: 43.4cm x 42cm

Put up: 1/450

Case Count: 450

Product Code: 28081

SAP Code: 10006785

Product Description: WYPALL*L30 POP UP* Wipers

Type: POP UP*

Colour: Brown

Material: 3-ply-paper

Size: 43.4cm x 42cm

Put up: 10/100

Case Count: 1000

Super Duty Hand Cleaner

Brand.....Challenger

Description

Beaded hand cleaner gel specially formulated to remove grease, dirt and grime, printers' ink, asphalt, soil, glue, adhesives and other grime quickly and effectively where soap is just not effective.

It is Non-Toxic. Non-Hazardous. No Petroleum Solvent. Comes with Moisturizing Effect.

Directions:

1. Apply CA Twin Hand Cleaner into dry hands
2. Rub briskly and add a few drops of water
3. Rub hands thoroughly and then rinse hands with water

Available in:

- 4 liters with lotion pump (box of 4 bottles)
- 3 liters with lotion pump (box of 4 bottles)
- 1 liter with lotion pump (box of 23 bottles)
- 1 liter with flip cap (box of 12 bottles)





Scott Compact Towel Hand Towel

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

The SCOTT® Compact Hand Towel system fits in tight spaces that traditional towel dispensers cannot. The stylish modern dispensers provide touchless hand drying for superior standards of hygiene.

1. SCOTT® Compact Hand Towel Standard

Code: 27011

Size: 28.7cm x 20cm

Quantity per Pack : 160

Quantity per Case : 22

2. SCOTT® Compact Hand Towel Value

Code: 27071

Size: 28.7cm x 16.5cm

Quantity per Pack : 160

Quantity per Case : 16

3. SCOTT® Compact Hand Towel Deluxe

Code: 27021

Size : 28.7cm x 20cm

Quantity per Pack : 140

Quantity per Case : 22

Leak and Spill System [Oil-Sorb Pad]

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Oil-Sorb Pad

Size: 40cm x 50cm

Packing: 100 pcs/pack

Colour: White

Code: 42880

Our Oil-Sorb Pads consist of absorbents that are designed for the single purpose of containing, picking up and assisting in the safe disposal of loose liquids. They are lighter, cleaner and easier to work with and are much more efficient compared to rags, sawdust, newspaper and even clay. Our system's efficiency makes clean-up and disposal significantly faster, easier and less costly.





L10 Roll Control Wipers

Brand.....RHINO SHOE

Description

Please click here for more information

Easy maintenance - one handed loading; patented Z-shaped passage reduce dispensing problems

Controlled usage compared to the other centrefeed systems, thus improved cost in use

Hygienic - user touches only the wiper used, reducing risk of cross-contamination

Water resistant dispenser

We RECYCLED, REPLANT

Product Code: 28031

SAP Code: 10009122

Product Description: WYPALL* L10 Roll Control Wipers RF

Type: Centre Pull Roll

Colour: White

Material: 1-ply recycled fibre tissue

Size: 18cm x 38cm

Put up: 6/300m

Case Count: 780

Product Code: 28041

SAP Code: 10009101

Product Description: WYPALL* L10 Roll Control Wipers VF

Type: Centre Pull

Colour: White

Material: 1-ply recycled fibre tissue

Size: 18cm x 38cm

Put up: 6/300m

Case Count: 780

Product Code: 09989

SAP Code: 10008261

Product Description: IN-SIGHT Roll Control Centre-Pull Tower Dispenser

Type: Dispenser 1 x 1 unit

Colour: Smoke Grey

Material: Plastic

Size: (W)26cm x (H)30.1cm x (D)23.5

Put up: 1

Case Count: 1

L10 Industrial Roll Wipers

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

On the factory floor, in garages or wherever continuous supply of wipers are essential to efficiency, WYPALL* L10 Jumbo Roll Wipers solves the problem with long standing rolls for general wiping tasks and single use applications.

Suitable for:

General manufacturing areas

Automotive

Workshops and Garages

Mechanical service

Food Processing Factory

We RECYCLE AND REPLANT

Product Code: 20271

SAP Code: 10007689

Product Description: WYPALL* L10 Jumbo Roll Wipers

Type: Roll

Colour: White

Material: 1-ply recycled fibre tissue

Size: 31cm x 60,000cm

Put up: 2/600m

Case Count: n/a

Product Code: 28053

Product Description: WYPALL* L10 Roll Control Wipers RF


Type: Roll

Colour: White

Material: 1-ply recycled fibre tissue

Sheet Size: 18cm x 38cm

Packing: 780 sheets/ roll, 6 rolls/ctn



Product Code: 88731

SAP Code: 10008349

Product Description: Kimberly-Clark Professional* Floor Mounted Stand

Type: Dispenser

Colour: Black

Material: Steel

Size: n/a

Put up: 1

Case Count: 5

Product Code: 09989

Product Description: KIMBERLY-CLARK PROFESSIONAL* Roll Control
IN-SIGHT® Dispensers

Type: Dispenser

Colour: Smoke Grey

Size: n/a



KLEENGUARD A20+ Breathable Antistatic Apparel

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Kimberly-Clark has invested in garment design and in the development of materials specifically for protective clothing to be able to offer the user the ideal combination of protection with comfort. Wearing garments of high breathability can reduce the effects of heat stress and therefore maintaining the efficiency and effectiveness of the wearer.

Suitable for handling powders, general maintenance, construction and contract cleaning.

Packing: 25 Units/Case

Sizes:

M - Code: 95160

L - Code: 95170

XL - Code: 95180

XXL - Code: 95190

SCOTT* Super Duty Skin Cleanser with Grit

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

No matter how tough your handworking task, SCOTT* Hand Cleansers are the right products for your workplace. From grease and grime to everyday dirt, out SCOTT* Hand Cleansers does the job well

Features:

- Natural solvent-based cleanser formulated to remove grease, grime, printers' ink and tar
- Corncob scrubbers provide scrubbing without abrasion that can be associated with pumice or walnut shell grits
- Contains no petroleum solvent or mineral abrasive which could harm your skin
- Subtle citrus fragrance does not leave hands with "gasoline smell" - as with many other types of petroleum-based soap
- Presence of Aloe Vera and lanolin helps keep skin soft
- Sani-Tuff® wall mounted dispenser's controlled dispensing system eliminates cross contamination and reduces cost



Foam Soap

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

KIMCARE Cassette Foam Soap is the premium hand cleanser for cost effective hygiene and care. Anyway, it's foam!

The innovative system delivers superior cost control, hygiene and easy maintenance while making handwashing a more pleasant experience for greater user satisfaction.

1. KLEENEX® GENERAL* Luxury Foam Skin Cleanser with Moisturisers

Code: 12552

Size: 1000ml

Colour: Light Pink

Quantity per Case : 6 units

2. KLEENEX® GENERAL* Luxury Foam Fragrance and Dye Free Skin Cleanser

Code: 12565

Size: 1000ml

Colour: Clear

Quantity per Case : 6 units

3. KLEENEX® Luxury Foam Hair & Body Wash

Code: 11553

Size: 1000ml

Colour: Light Blue

Quantity per Case : 6 units

4. KLEENEX® Luxury Foam Antibacterial Skin Cleanser

Code: 11554

Size: 1000ml

Colour: Clear

Quantity per Case : 6 units

5. KIMBERLY-CLARK PROFESSIONAL* Windows* Cassette Skin Care Dispenser - 1000 ml

Code: 92144

Size: 12.8cm x 21.2cm x 13.4cm

Colour: Pearl White

Quantity per Case : 1

6. AQUARIUS* Cassette Skincare Dispenser

Code: 69480

Size: 23.5cm(H) x 11.6cm(W) x 11.4cm(D)

Colour: White

Quantity per Case : 1

Crew Critical Task Wiper [Cleanroom]

Description

Please click [here](#) for more information.





WetTask Refillable Wiping System

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

The compact, convenient, wet wiping system that's safe, simple and reliable KIMTECH® Wipers for the WETTASK® System are specifically designed for surface cleaning and preparation, where maintaining the integrity of your chemical solution, controlling costs, and improving workplace safety are paramount.

An innovative solution for customers who want to use their own chemical solution to create a pre-saturated wiper for preparing, cleaning, disinfecting or sanitizing surfaces. Designed for use with detergents, water-based cleaners, and solvents. Ideal for general surface cleaning, sanitising and degreasing.

Highlights:

- Enclosed system helps reduce cross-contamination and exposure to chemical vapours or splashed
- No need to worry evaporation because it is airtight
- Wiper can withstand solvent
- Reduce solvent wastage

Code: 950600120

Description: KIMTECH PREP® Wipers

Type: Roll

Colour: White

Material: HYDROKNIT

Size: W(cm) x L(cm) 30.4 x 31.7

Put Up: 6/60

Case Count: 360

Kimwipes EX-L Delicate Task Wipers [EX-L]

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Low lint and low extractables

Gentle texture won't scratch delicate surface when used wet

Absorbent; easily wipes up and liquids and dust

Handy POP-UP Box dispenses one time at a time and is portable for convenient use

LINTGUARD Anti-stat Polyshield helps further reduce lint and static buildup



Controlled usage-one-a-time dispensing provided by POP-UP Box

Please click [here](#) for PDF file.

Code: 953425610

Description: KIMTECH SCIENCE* Kimwipes EX-L Delicate Task Wipers

Type: POP-UP Box

Colour: White

Material: 1-ply tissue

Size: W(cm) x L(cm) 37.3 x 42.1

Put Up: 15/140

Case Count: 2100

Code: 953415530

Description: KIMTECH SCIENCE* Kimwipes EX-L Delicate Task Wipers

Type: POP-UP Box

Colour: White

Material: 1-ply tissue

Size: W(cm) x L(cm) 11.1 x 21.3

Put Up: 60/280

Case Count: 16800

Description: KIMTECH SCIENCE* Kaydry Ex-L - DISCONTINUED



KimTech Prep Microfiber Surface Cleaning Cloth

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Multipurpose cleaning cloth of superior absorbency and can be used wet or dry

Dry lint and great for polishing delicate surfaces

Effectively removes particles attached to any surface

Can be washed up to 300 times and is cost efficient

Please click [here](#) for more information

Various tweezers



TR259

Description

Replaceable Plastic Tip Tweezers TR-series

Material - High Grade Metal with Plastic Tip

Design & Features - High precision with replaceable tip, easy & handy to use and smooth spring action

Colour - Aluminium body with Black tip

Application - Suitable for semiconductor and micro electronics task

ESD Properties - Body < 1011 ohm/sq; tip > 103 ohm/sq

Dimensions - Length: 130mm ; shape: Taper pointed

TR7

Description

Replaceable Plastic Tip Tweezers TR-series

Material - High Grade Metal with Plastic Tip

Design & Features - High precision with replaceable tip, easy & handy to use and smooth spring action

Colour - Aluminium body with Black tip

Application - Suitable for semiconductor and micro electronics task

ESD Properties - Body < 1011 ohm/sq; tip > 103 ohm/sq

Dimensions - Length: 130mm ; shape: Eagle Beak



TR7



TR5

Description

Replaceable Plastic Tip Tweezers TR-series

Material - High Grade Metal with Plastic Tip

Design & Features - High precision with replaceable tip, easy & handy to use and smooth spring action

Colour - Aluminium body with Black tip

Application - Suitable for semiconductor and micro electronics task

ESD Properties - Body < 1011 ohm/sq; tip > 103 ohm/sq

Dimensions - Length: 130mm ; shape: Taper pointed flat

CT006

Description

Conductive Precision Plastic Tweezers CT-Series

Material - High Grade Conductive Plastic

Design & Features - High precision, easy & handy to use, smooth spring action with non-magnetic property

Colour - Black

Application - Suitable for industrial and laboratory precision task

ESD Properties - <103 ohm/sq

Dimensions - Length: 120mm ; Shape of Tip: Taper Flat Broad

Packing - 10 pcs per poly bag



CT005

Description

Conductive Precision Plastic Tweezers CT-Series

Material - High Grade Conductive Plastic

Design & Features - High precision, easy & handy to use, smooth spring action with non-magnetic property

Colour - Black

Application - Suitable for industrial and laboratory precision task

ESD Properties - <103 ohm/sq

Dimensions - Length: 115mm ; Shape of Tip: Bend and Flat Beak

Packing - 10 pcs per poly bag



CT004

Description

Conductive Precision Plastic Tweezers CT-Series

Material - High Grade Conductive Plastic

Design & Features - High precision, easy & handy to use, smooth spring action with non-magnetic property

Colour - Black

Application - Suitable for industrial and laboratory precision task

ESD Properties - <103 ohm/sq

Dimensions - Length: 120mm ; Shape of Tip: Taper point flat

Packing - 10 pcs per poly bag

**CT003****Description**

Conductive Precision Plastic Tweezers CT-Series

Material - High Grade Conductive Plastic

Design & Features - High precision, easy & handy to use, smooth spring action with non-magnetic property

Colour - Black

Application - Suitable for industrial and laboratory precision task

ESD Properties - <103 ohm/sq

Dimensions - Length: 115mm ; Shape of Tip: Taper Point

Packing - 10 pcs per poly bag

**CT002****Description**

Conductive Precision Plastic Tweezers CT-Series

Material - High Grade Conductive Plastic

Design & Features - High precision, easy & handy to use, smooth spring action with non-magnetic property

Colour - Black

Application - Suitable for industrial and laboratory precision task

ESD Properties - <103 ohm/sq

Dimensions - Length: 115mm ; Shape of Tip: Step taper flat

Packing - 10 pcs per poly bag





CT001

Description

Conductive Precision Plastic Tweezers CT-Series

Material - High Grade Conductive Plastic

Design & Features - High precision, easy & handy to use, smooth spring action with non-magnetic property

Colour - Black

Application - Suitable for industrial and laboratory precision task

ESD Properties - <103 ohm/sq

Dimensions - Length: 120mm ; Shape of Tip: Flat and Broad

Packing - 10 pcs per poly bag


Gordon Brush

Description

Specification :

Please click on the link below for more information :

[Gordon Brush](#)



Cordless Wriststrap Checker

Description

Specification :

Please click on the link below for more information:

[Cordless Wriststrap Checker](#)

Anti-static

Description

GLOVE

GREENMAT

BRUSH

WRIST STRAP

WRIST STRAP CHECKER

TWEEZER





Weighing Scale High Capacity

Weighing Balance

Description

- 13 Multiple weighing units
- Two layer housing construction
- Splash proof keyboard and display
- Data memory function
- Automatic adjustable environment setting
- GLP compliance
- Automatic self calibration
- One touch calibration
- Quick reference card
- Standard underhook
- Standard RS-232C
- WinCT-Windows communication tools

[Click here for more information](#)





Precision Balance Series

Description

SWISS DESIGN

Large Weighing Pan

Battery Operation

Full range from 100g to 12100g

RS232 interface to printer or PC

1 or 2 Years Warranty

Please click [here](#) for more information

Precisa Semi-Micro Balances

Description

Impressive Design

High Precision Technology

Expanded Weighing range

Easy to read display

Outstanding operating simplicity

1 to 2 Years Warranty

Please click [here](#) for more information






Precisa Analytical & Precision Balances spec

Description

Please click [here](#) for more information



GoldCarat Balances

Description

Top Swiss quality
Elegant Compact design
Practical and easy to use
3 doors draft shield for the 0.001 ct balance
Two-Years manufacturer's warranty

Please click [here](#) for more information



Waterbath (Mettmert)

Description

Excellent overtemperature protection and digital level monitor to guarantee secure long-term test - with visual and audible alarm signals

Excellent user friendliness through programmable start of hold time only after reaching the temperature setpoint

Click [here](#) for more information



Incubator

Description

Hybridisation Incubator available

- Compact unit
- Ideal for microtitre plates and petri dishes
- Laminar flow air circulation
- Digital setting and display of temperature
- Convenient upward opening door
- Stainless steel interior



Prosat Wipers

Description

- * Class 100 Compatible
- * Solvent: 70% 2-Propanol/30% Deionized Water
- * Non-woven, Melt Blown Polypropylene
- * Very Low Levels Of Sodium And Other Ions
- * Isopropyl Alcohol Is Semiconductor Grade
- * Each Package Individually Lot Numbered
- * Packaged In Resealable Pouch

Specification :

Please click [here](#) for more information

Greenwipes

Description

HERE YOU HAVE, THE ULTIMATE WIPER:

USE IN ANY AREA: PRODUCTION, MAINTENANCE, QA/QC, CLEANROOM & ETC.

PLEASE FIND THE CATALOG FOR INFORMATION.

Please click [here](#) for more information



Cleanroom Nitrile Glove



QRP Gloves

Description

Specification :

Please click [here](#) for more information





Cleanroom Latex Glove

PS-60(A), 15L - Challenger Ultrasonic Cleaner (SOLD OUT)

Brand.....Challenger

Description

Features

Digital time and temperature control

High performance transducer systems

Comes with basket and cover

Attached with handle and drainage system

Approved by RoHs

Easy to operate

Suitable for Cleaning

Steel, light and non-ferrous metal, plastic and glass

Jewelries and brightening of gold, silver and platinum

Lab equipments made of glass, plastic or metal

Dentures, crowns and prosthetic materials

Specifications

Ultrasonic Frequency: 40,000 Hz

Tank Material: Stainless Steel SUS304

Tank Capacity: 15L

Timer: 1-30minutes, Digital timer

Power Supply: AC 100 ~ 120V, 50 / 60Hz; AC 220 ~ 240V, 50 / 60 Hz

Ultrasonic Power: 360 W

Heating Power: 300 W, Digital Heating

Unit Size: 360 x 330 x 310 mm (L x W x H)

Tank Size: 330 x 300 x 150 mm (L x W x H)



Package Size: 465 x 425 x 425 mm (L x W x H)

N.W.: 10.0 kg

G.W.: 11.0 kg

Certifications

CE, ETL, GS



PS-40(A), 10L - Challenger Ultrasonic Cleaner (SOLD OUT)

Brand.....Challenger

Description

Features

- Digital time and temperature control
 - High performance transducer systems
 - Comes with basket and cover
 - Attached with handle and drainage system
 - Approved by RoHs
 - Easy to operate
 - Suitable for Cleaning
- Steel, light and non-ferrous metal, plastic and glass
Jewelries and brightening of gold, silver and platinum
Lab equipments made of glass, plastic or metal
Dentures, crowns and prosthetic materials

Specifications

- Ultrasonic Frequency: 40,000 Hz
- Tank Material: Stainless Steel SUS304
- Tank Capacity: 10 L
- Timer: 1-30minutes, Digital timer
- Power Supply: AC 100 ~ 120V, 50 / 60Hz; AC 220 ~ 240V, 50 / 60 Hz
- Ultrasonic Power: 240 W
- Heating Power: 250 W, Digital Heating
- Unit Size: 330 x 270 x 310 mm (L x W x H)
- Tank Size: 300 x 240 x 150 mm (L x W x H)
- Package Size: 445 x 365 x 420 mm (L x W x H)
- N.W.: 8.2 kg
- G.W.: 9.0 kg

Certifications

CE, ETL, GS

PS-20(A), 3.2L - Challenger Ultrasonic Cleaner (SOLD OUT)

Brand.....Challenger

Description

Features

Digital time and temperature control
High performance transducer systems
Comes with basket and cover
Approved by RoHs
Easy to operate

Suitable for Cleaning

Steel, light and non-ferrous metal, plastic and glass
Jewelries and brightening of gold, silver and platinum
Lab equipments made of glass, plastic or metal
Dentures, crowns and prosthetic materials

Specifications

Ultrasonic Frequency: 40,000 Hz

Tank Material: Stainless Steel SUS304

Tank Capacity: 3.2 L

Timer: 1-30minutes, Digital timer

Power Supply: AC 100 ~ 120V, 50 / 60Hz; AC 220 ~ 240V, 50 / 60 Hz

Ultrasonic Power: 120W

Heating Power: 100 W, Digital Heating

Unit Size: 270 x 170 x 240 mm (L x W x H)

Tank Size: 240 x 135 x 100 mm (L x W x H)

Package Size: 330 x 250 x 310 mm (L x W x H)

N.W.: 3.8 kg

G.W.: 4.1 kg

Certifications

CE, ETL, GS





PS-08(A), 1.3L - Challenger Ultrasonic Cleaner

Brand.....Challenger

Description

Features

- Digital time and temperature control
- High performance transducer systems
- Comes with basket and cover
- Easy to operate
- Approved by RoHs

Suitable for Cleaning

- Steel, light and non-ferrous metal, plastic and glass
- Jewelries and brightening of gold, silver and platinum
- Lab equipment made of glass, plastic or metal
- Dentures, crowns and prosthetic materials

Specifications

- Ultrasonic Frequency; 40,000 Hz
- Tank Material: Stainless Steel SUS304
- Tank Capacity: 1.3 L
- Timer: 1-30minutes, Digital timer
- Power Supply: AC 100 ~ 120V, 50 / 60Hz; AC 220 ~ 240V, 50 / 60 Hz
- Ultrasonic Power: 70W
- Heating Power: 30 W, Digital Heating
- Unit Size: 180 x 165 x 205 mm (L x W x H)
- Tank Size: 150 x 135 x 65 mm (L x W x H)
- Package Size: 250 x 230 x 300 mm (L x W x H)
- N.W.: 2.0 kg
- G.W.: 2.7 kg

Certifications

CE, ETL, GS

EnSolv

Brand.....EnSolv

Description

EnSolv is the perfect direct replacement for TCE, Perchloroethylene, 1,1,1 - Trichloroethane and other hazardous vapor degreasing. It can also be used as a general solvent for critical applications such as oxygen service, precision optics, medical devices, high vacuum components and electronics.

EnSolv is a superior cleaner for oxygen service lines and components that



leaves virtually no residue and conforms to SAE ARP1176! It is an excellent choice for removal of a wide range of organic soils by vapor degreaser, ultrasonic cavitation, dip tank, flushing or hand wiping.

EnSolv is a non-flammable, non-carcinogenic solvent mixture that is safe to use in many applications. Please refer to the EnSolv Material Safety Data Sheet available for download at [ensolv.com](https://www.ensolv.com) for more specific information on workplace exposure levels, toxicity and personal safety recommendations.

EnSolv is also very compatible with all metals and many plastics and other materials typically cleaned in vapor degreasers, ultrasonic tanks or manually. For a full list of compatibility recommendations, please refer to the "Materials Compatibility" document available for download at [ensolv.com](https://www.ensolv.com). Any materials not listed in this document should be tested for compatibility in the conditions of use.

EnSolv is a patented azeotropic mixture that can be distilled and reused through numerous cycles before it needs to be replaced.

To know more about this product, feel free to contact us for more detailed information.



Shoe Cover

Description

Cleanroom standard

Jumpsuit

Description

Cleanroom standard





Hair cap

Description

Cleanroom standard

Custom made hair cap for production use



Facemask

Description

2-ply facemask

3-ply facemask



Booties

Description

Cleanroom standard

Apron & Sleeve cover

Description



Superclean CA315

Brand.....Challenger

Description

SUPERCLEAN CA 315

Total Preventive Maintenance Cleaning Chemical

Industry Type : Electronics, Watch, Jewellery, Optics, Metal Stamping, Plastic

Targeted Area : Hard Surface Cleaning including plastics, glass, metals, etc...

Product Name : Superclean CA 315 TPM Cleaning Chemical

Product Description : Ultra fast medium duty cleaner.

Detailed Description : A versatile safe-to-use, ultra fast, water based cleaner for stained and oil soaked surfaces.

Superclean CA 315 emulsifies every type of fat, oil, wax or grease on machinery, computer hardware, and all hard surfaces.

No rinsing required!

Industrial Chemical List

Description

Chemical list:

Acetone
Butyl Carbitol
Butyl Cellosolve
Cyclohexane
Cyclohexanone (CYC)
Diacetone Alcohol (DAA)
Ethyl Acetate
Ethyl Glycol (C.S)
Ethyl Glycol Acetate (C.A)
Iso-Butanol
Isopropyl Acetate (IPA)
Isopropyl Alcohol
Methyl Ethyl Ketone
Methyl Isobutyl Ketone
Methylene Chloride
N-Butanol



N-Butyl Acetate (BA)
N-Propanol
N-Propyl Acetate
PM Solvent
PMA
Solvent 3040
Toluene
Trichloroethylene (TCE)
Xylene

And Many More!

Email us your enquiry to: challenger@challenger.com.my



Bestlady S3	
Product Description	
Sole	PU /PU
Toecap	Steel
Midsole	Steel
Lining	Mesh Nylon
Insole	Premoulded
Size Range	
36-42	
Category	
Lady Line S3 SRC	
Certificates	
CE S3 AS/NZS2210.3 (AUST) GOST-R (RUSSIA)	

BestGirl

SolePU/PU
Toecap.....Steel
Midsole.....Steel
Lining.....Mesh Nylon
Insole.....Premoulded
Size range.....36 - 42
Category.....Lady Line S3 SRC
Caertificate.....
CE S3, AS/NZS2210.3 (AUST), GOST-R (RUSSIA)

Bestlight Black

SoleEVA + Rubber
Insole.....Premoulded
Size range.....36 - 46
category.....Food S3-S2-SB SRC

Description

Super light weight safety shoe.



Bestlight blk	
Product Description	
Sole	EVA + Rubber
Toecap	
Midsole	
Lining	
Insole	Premoulded
Size Range	
36-46	
Category	
Food S3-S2-SB SRC	
Certificates	



Bestlight wht	
Product Description	
Sole	EVA + Rubber
Toecap	
Midsole	
Lining	
Insole	Premoulded
Size Range	
36-46	
Category	
Food S3-S2-SB SRC	
Certificates	

Bestlight White

SoleEVA + Rubber
Insole.....Premoulded
Size range.....36 - 46
Category.....Food S3-S2-SB SRC

Description

Super light weight safety shoe.

Force 2


SolePU/Rubber
Toecap.....Composite
Midsole.....Anti perforation SJ FLEX
Lining.....Cambrelle
Insole.....Premoulded
Size range.....38 - 47
Category.....Sj FLEX / Composite S3 SRC
Certificates.....
CE S3, AS/NZS2210.3 (AUST), GOST-R (RUSSIA), ASTM (USA)

Description



Force2 S3	
Product Description	
Sole	PU /Rubber
Toecap	Composite
Midsole	Anti perforation SJ FLEX
Lining	Cambrelle
Insole	Premoulded
Size Range	
38-47	
Category	
Sj Flex/ Composite S3 SRC	
Certificates	
CE S3 AS/NZS2210.3 (AUST) GOST-R (RUSSIA) ASTM (USA)	

*Size range 39 - 43 only (updated on 27 September 2013)



Anti perforation
SJ FLEX
insole
& Composite


Lauda S3

Product Description	
Sole	Rubber
Toecap	Composite
Midssole	Anti perforation SJ FLEX
Lining	Honey Mesh
Insole	Premoulded

Size Range
40-47

Category
Racing Line S3 SRC

Certificates



Lauda Safety Jogger

SoleRubber
Toecap.....Composite
Midssole.....Anti perforation SJ FLEX
Lining.....Honey Mesh
Insole.....Premoulded
Size range.....40 - 47
Category.....Racing Line S3 SRC

Description

*Only until size 44


Suitable for oily floor surface uses. Comfortable inner sole and light weight safety shoe

Mountain S1P [Mountain]

SolePU/PU
Toecap.....Composite
Midssole.....Anti perforation SJ FLEX
Lining.....Mesh Nylon
Insole.....Premoulded
Size range.....38 - 47
Category.....Sports S3-S1P SRC

Description

*Size range 38 - 44 only (updated on 27 September 2013)



Anti perforation
SJ FLEX
insole
& Composite


Mountain S1P

Product Description	
Sole	PU/PU
Toecap	Composite
Midssole	Anti perforation SJ FLEX
Lining	Mesh Nylon
Insole	Premoulded

Size Range
38-47

Category
Sports S3-S1P SRC

Certificates





Safety Jogger bestboot

SoleDual density PU
ToecapSteel
Midssole.....Steel
Size range.....38-44 (EU)
Category.....S3
Lining.....Fur
Insole.....Premoulded

Safety Jogger Bestboy

SoleDual Density PU
Toecap.....Steel
Midssole.....Steel
Size range.....37-45
Category.....53
Lining.....Cambrelle
Insole.....Premoulded

Description

BESTBOY features:

- Waterproof uppers
- Anti static shoe

- Heel energy absorption
- Anti slipping sole
- Anti perforation steel or kevlar sole
- Oil and fuel resistant sole
- Steel or composite toe cap
- Breathable leather upper



Safety Jogger Bestrun

Sole	Dual Density PU
Toecap	Steel
Midsole.....	Steel
Size range	37-44
Category	53
Lining.....	Cambrelle
Insole.....	Premoulded

Description

BESTBOY features:

- Waterproof uppers
- Anti static shoe
- Heel energy absorption
- Anti slipping sole
- Anti perforation steel or kevlar sole
- Oil and fuel resistant sole
- Steel or composite toe cap
- Breathable leather upper

Safety Jogger CERES

Sole	Rubber
Toecap.....	Composite
Midsole.....	Kevlar
Size range.....	36-42
Category	S3
Lining.....	Mesh
Insole.....	Premoulded



Safety Jogger Climber

Sole	Dual density PU
Toecap	Steel
Midsole	Steel
Size range	39 - 44 (EU)
Lining	Cambrelle
Insole	Premoulded



Safety Jogger Jumper

Sole	Dual density PU
Toecap	Steel
Midsole	Steel
Size Range	39 - 44 (EU)
Lining	Cambrelle
Insole	Premoulded





Safety Jogger X2000

Sole	Dual density PU
Toecap	Steel
Midsole	Steel
Size range	39 - 44 (EU)
Lining	Cambrella
Insole	Premoulded
Certificates	EN ISO 20345-S3

Safety Jogger X2020p

Sole	Dual density PU
Toecap	Steel
Midsole	Steel
Size range	39 - 44 (EU)
Lining	Cambrella
Insole	Premoulded
Certificates	EN ISO 20345-S3



X0500 S2	
Product Description	
Sole	Dual Density PU
Toecap	Steel
Midsole	
Lining	Cambrella
Insole	Premoulded
Size Range	
35-47	
Category	
Food S3-S2-SB SRC	
Certificates	
CE S2 AS/NZS2210.3 (AUST) ANSI Z41-1999 (PHILIP) GOST-R (RUSSIA)	

Safety Jogger X0500

Description

Specification

Sole - Dual Density PU

Toecap - Steel

Lining - Cambrella

Insole - Premoulded

Size Range : 37 - 47

Category - Food S3-S2-SB SRC

Certificates - CE S2, AS/NZS2210.3 (AUST), ANSI Z41-1999 (PHILIP), GOST-R (RUSSIA)

Safety Jogger X0600

Description

Specification

Sole - Dual Density

Toecap - Steel

Midsole - Steel

Lining - Cambrella

Insole - Premoulded

Size Range - 37 - 43

Category - Food S3-S2-SB SRC

Certificates:
CE S3, AS/NZS2210.3 (AUST), GOST-R (RUSSIA)



X0600 S3	
Product Description	
Sole	Dual Density PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Insole	Premoulded
Size Range	
36-47	
Category	
Food S3-S2-SB SRC	
Certificates	
CE S3 AS/NZS2210.3 (AUST) GOST-R (RUSSIA)	



Jackson Safety V10 Unispec and V10 Element

Brand.....KIMBERLY-CLARK PROFESSIONAL

Description

Protective glasses that help prevent damage to the eyes and are comfortable to wear for long periods, providing 99% UVA/UVB protection and conform to EN166:2001 1F for safety, EN166:2001 level F for impact resistance and EN166:2001 class 1 for optical clarity. Fits over most prescription eye wear.

V10 Unispec (Over-the-Glass)

Code: 16727

Quantity per Case: 1

Quantity per Pack: 50

V10 Element

Code: 25642

Quantity per Case: 1

Quantity per Pack: 12

Ideal for: providing workers and visitors with basic eye protection while keeping costs down; insulating against electric shock.Available as: wrap-around, lightweight glasses with clear lenses and universal nose bridge.

Jackson Safety V30 Nemesis

Brand.....KIMBERLY-CLARK PROFESSIONAL


Description

Quantity per Case: 1

Quantity per Pack: 12

Make safety and productivity priorities by choosing Personal Protective Equipment (PPE) that allows for comfort and freedom of movement. Our products in this category do more than provide eye protection - they offer outstanding comfort in a range of appealing styles. Choose our Safety Glasses for comfort and protection in many tasks. The sleek wraparound design conforms to the EN166 1F standard.

- 1. JACKSON SAFETY* V30 Nemesis VL Clear, Code: 29111
- 2. JACKSON SAFETY* V30 Nemesis VL Smoke, Code: 25704
- 3. JACKSON SAFETY* V30 Nemesis Clear, Code: 20378
- 4. JACKSON SAFETY* V30 Nemesis Mirror, Code: 20380
- 5. JACKSON SAFETY* V30 Nemesis Indoor/Outdoor, Code: 20381



Dura-Mesh 2-Strap Respirators

Description

Straps are securely attached so they don't pull off. Soft foam nose flange for added comfort. Superior comfort, durability and compliance at the lowest overall cost.

Applications

Grinding, Torch Cutting, Sanding, Metal working, Welding, Soldering, Lime, Buffing, Brazing.

Handy Strap Respirators

Description

Handy Strap with buckle, allow mask to hang around neck when not in use. Ventex valve let's the hot air faster so workers breathe easier and stay cooler and the mask last longer.

Applications

Grinding, Torch Cutting, Sanding, Metal working, Welding, Soldering, Lime, Buffing, Brazing.



Reusable Respirators

Description

The 8000 comes pre-assembled with cartridges, or with individual face pieces, cartridge and filters. There are no gaskets and no yoke. So there are fewer parts to inventory.

Application

Grinding, Torch Cutting, Sanding, Metal working, Welding, Soldering, Lime, Buffing, Brazing.



Survivair Opti-Fit APR

Description

Optimum fit, comfort and superior optics in a full face respirator. The Opti-Fit offers the ultimate in performance and affordability. With features usually reserved for more expensive respirators, the Opti-Fit can help you get the most from your respiratory protection budget. Opti-Fit features a distortion free lens with exceptional view. Lightweight construction reduces head and neck stress even during extended wear. Three sizes fit almost any facial type.

- Full-feature respirator priced at nearly half the cost of traditional full facepieces
- Comfortable, durable silicone skirt and five-strap suspension
- Nose cup is a standard feature to prevent fogging
- Lens is replaceable and treated with anti-scratch coating
- Easily converts to CF SAR
- Available accessories include clear and tinted lens covers, headstrap and neckstrap kits, spectacles kit, anti-fog wipes and anti-fog solution

Application

Grinding, Woodworking foundries





Survivair Value Plus

Description

The VALUAIR PLUS series provides an excellent choice for limited use, limited life application. VALUAIR Plus combines NIOSH-approved protection with low breathing resistance and the comfort of more expensive respirators.

- Thermoplastic elastomer facepiece reduces cost
- Soft sealing flange and forward angled nosepiece easily accommodate eyewear
- Perspiration port
- Easy to adjust, 3-piece sliding suspension
- Facepiece replacement parts are available
- Available in three sizes

Applications

Grinding, woodworking foundries

Jackson Safety H10 & H20 [Jackson Safe]

Description

Block the noise - not your performance

Jackson hearing protection is now selling under Kimberly-Clark Professional banner with more features!

Jackson Safety provides you disposable or reusable earplug. You can choose H10 or H20 for specific needs

(H30 and H50 are coming soon!). Jackson Safety without compromising the quality of the product you use for safety purpose.

Contact us for trial arrangement.

[Please click here for more information](#)



Rockets

Description

Easy grip handle for insertion and removal. Air bubble to provide cushioned. Soft, flexible flanges provides a superior seal. Ear plug can be washed and reused.

Application

Food, Tobacco, Textiles, Paper Mills, Metal Manufacturing Bottling Plant, Airlines, Packaging Plant.

Thunder

Description

Robust steel wire constructing withstands demanding use, especially in tough environments. Padded foam headband delivers long wearing comfort with minimal pressure on the head.

Applications

Textiles, Lumber Products, Printing, Airlines, Shooting / Gun Ranges, Machinery



Hyflex Foam

Description

The original Hyflex Foam offers excellent breathability, reducing perspiration and increasing comfort. Silicone-free for no marks or product contamination. EN420, EN388, EN374 Hyflex Grey adopts Knitte Variable Stitch Design (KVSD) helps to reduce hand fatigue and release tension allowing the hand to operate more freely its dark colour helps to hide dirt and expand product life.

Applications

General assemble and repair, logistics, warehouse, automotive, plastics and a range of other industries.



Kleenguard V20 Eye Protection [V20 Anti-fog]

Description

- Impact resistant Polycarbonate lens
- Wraparound lens for better eye coverage
- 99.9% UVA/UVB protection
- Comfortable, padded temples

V20 Anti-fog is available at stock





Protege

Description

- Sports - styling combined with lightweight comfort and flexible design
- Secure wrap around brow expands to fit a wide range of users
- Ultralight weight design at only 27.5 grams weigh less than one ounce
- Metallic Black Frame Clear Lens
- Metallic Black Frame Gray Lens

APPLICATIONS

- General Industry
- Construction
- Finishing
- Toxic Chemicals / Painting
- Laboratory Environment / Medical

Pulsafe A700

Description

- Sporty styling provides a stylish fit for your everyday wearer
- Light weight design sport temple tip pads provide a secure, wrap-around fit and all day comfort
- Grey Temples Clear Lens

APPLICATION

- General Industry
- Construction
- Finishing
- Toxic Chemicals / Painting
- Laboratory Environment / Medical



Pulsafe Maxx-Pro Goggle

Description

- Close fit and superior optics for dramatically improved peripheral vision
- Polypropylene frame with soft elastomer to seal and conform to most facial contours
- Just snap a new lens onto the front of the Pulsafe Maxx-Pro goggle body for quick, cost effective replacement

APPLICATION

- General Industry
- Construction
- Finishing
- Toxic Chemicals / Painting
- Laboratory Environment / Medical

V-Maxx Goggle

Description

- 180° field of vision for distortion free peripheral vision
- Can be worn over prescription eyewear and with half-mask respirators
- Unique lens replacement system is very easy to use and cost effective
- Selection of various strap materials to ensure suitability for all types of environments
- Special concept of indirect ventilation to comply with splash-resistance test
- Lens options in polycarbonate or acetate
- Weight : 93g

APPLICATION

- Grinding
- Sanding and other dusty application



Eye Wash Mounting Bracket / ABS Bowl

Description

Bowl Sprays

In highly visible yellow ABS anti-corrosive plastic or stainless steel. Two high flow water sprays aerated at low pressure which bathe the eyes and face of the injured person, with automatic anti-dust cover which operates when the Eye Wash is used.

Valve

Through-passage valve which opens automatically when the lever is pushed and the valve stays open until it is manually closed. With automatic anti-dust cover which operated when the Eye Wash is used.

Eye Wash / Bracket / ABS Bowl with Hose Spray

Description

Bowl Sprays

In highly visible yellow ABS anti-corrosive plastic or stainless steel. Two high flow water sprays aerated at a low pressure which bathe the eyes and face of the injured person, with automatic anti-dust cover which operated when the Eye Wash is used.

Valve

Through-passage valve which opens automatically when the lever is pushed and the valve stays open until it is manually closed. With automatic anti-dust cover which operates when the Eye Wash is used.





Horizontal Drench Shower Stainless Steel Shower Head

Description

Shower Head

In highly visible yellow ABS anti-corrosive plastic or stainless steel.

Coating

Made from highly visible yellow anti-corrosive plastic.

Pedestal Eye Wash Fountain ABS Bowl

Description

Bowl Sprays

In highly visible yellow ABS anti-corrosive plastic or stainless steel. Two high flow water sprays aerated at low pressure which bathe the eyes and face of the injured person. With automatic anti-dust cover which operates when the Eye Wash is used.

Coating

Made from highly visible anti-corrosive plastic.



Pedestal Eye Wash or Foot Control Self Closing Valve ABS Bowl


Description

Bowl Sprays

In highly visible yellow ABS anti-corrosive plastic or stainless steel. Two high flow water sprays aerated at low pressure which bathe the eyes and face of the injured person. With automatic anti-dust cover which operates when the Eye Wash is used.

Coating

Made from highly visible anti-corrosive plastic.



Pedestal Eye Wash or Foot Control Self Closing Valve Stainless S


Description

Bowl Sprays

In high visible yellow ABS anti-corrosive plastic or stainless steel. Two high flow water sprays aerated at low pressure which bathe the eyes and face of the injured person, with automatic anti-dust cover which operates when the Eye Wash is used.

Coating

Made from highly visible anti-corrosive plastic.



Shower / Eye Wash Stay Open Valves ABS Shower Head and Bowl

Description

Shower Head

In highly visible yellow ABS anti-corrosive plastic or stainless steel.

Coating

Made from highly visible yellow anti-corrosive plastic.

Shower / Eye Wash Stays Open Valves ABS Shower Head and Bowl c / w

Description

Shower Head

In highly visible yellow ABS plastic or stainless steel.

Coating

Made from highly visible yellow anti-corrosive plastic.





Rhino TP-3100SP

Brand.....RHINO SHOE
Size range.....38 - 44 (EU)

Description

- Made with the latest Direct Injection Technology by using DESMA (Germany) machine which ensures superb bonding strength between the upper leather and the outsole.
- Made with innovative Thermo-Polyurethane (TPU) outsole which offers superior Oil Resistance, Slip Resistance, Abrasion Resistance and longer shelf-life than normal PU outsole.
- The dual-density PU/TPU outsole offers lightweight & excellent shock absorption performance.
- Extra Wide-Fitting Toe Cap & Outsole design offer extra confort.
- Chemical Resistant (against common chemicals)
- Heat resistant Outsole (up to 130°c)
- Antistatic
- Certified to European CE safety standard which is one of the most stringent safety standards in the world

Rhino TP5100SP

Brand.....RHINO SHOE
Size range.....38 - 44 (EU)

Description

- Made with the latest Direct Injection Technology by using DESMA (Germany) machine which ensures superb bonding strength between the upper leather and the outsole.
- Made with innovative Thermo-Polyurethane (TPU) outsole which offers superior Oil Resistance, Slip Resistance, Abrasion Resistance and longer shelf-life than normal PU outsole.
- The dual-density PU/TPU outsole offers lightweight & excellent shock absorption performance.
- Extra Wide-Fitting Toe Cap & Outsole design offer extra confort.
- Chemical Resistant (against common chemicals)
- Heat resistant Outsole (up to 130°c)
- Antistatic
- Certified to European CE safety standard which is one of the most stringent safety standards in the world



Challenger Avenue (M) Sdn Bhd

No. 8, Lot 778, Jalan Subang 4, Subang Light Industrial Park, 47610, Subang Jaya, Selangor, Malaysia

Tel.....603-5632 2128
Fax.....603-5632 9155
E-Mail.....challenger@challenger.com.my
Website.....www.challenger.com.my

